

M/s. The Green Environment Services Co. Op. Society Ltd, Vatva, Ahmedabad (GPCB ID: 14438)

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
16	pH	6.5-8.5	pH	6.5-8.5	04/10/2021 , 12/10/2021 , 18/10/2021 , 12/10/2021 . 04/10/2021	23	Nil	pH	7.50	pH	7.33	pH, Flow Meter, TOC, COD, BOD, TSS	Storage 22400 MT
	COD	2000 mg/L	COD	250 mg/L				COD	930	COD	454		
	BOD	700 mg/L	BOD	30 mg/L				BOD	217	BOD	39		
	SS	300 mg/L	SS	100 mg/L				SS	332	SS	392		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	49.84	NH ₃ -N	5.38		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	1.80	Phenolic Compounds	0.42		

M/s. Odhav Enviro Project Ltd., Odhav, Ahmedabad (GPCB ID: 12890)

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.2	pH	6.5-8.5	pH	6.5-8.5	12/10/2021 , 18/10/2021	1.1	Nil	pH	7.195	pH	7.46	Flow meter at inlet & outlet, COD, pH, TSS, BOD	Storage 1200 MT
	COD	2000 mg/L	COD	250 mg/L				COD	2175	COD	388.5		
	BOD	700 mg/L	BOD	30 mg/L				BOD	564.5	BOD	47.5		
	SS	300 mg/L	SS	100 mg/L				SS	268	SS	222		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	54.46	NH ₃ -N	50.845		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	1.07	Phenolic Compounds	0.375		

M/s. Gujarat Vepari Maha Mandal Sahkari Udhyogik Vasahat Ltd, Ahmedabad (GPCB ID: 11536)

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.45	pH	6.5-8.5	pH	6.5-8.5	04/10/2021 , 12/10/2021 , 13/10/2021	0.7	Nil	pH	7.12	pH	6.85	Flow Meter	Storage 1450 MT
	COD	2000 mg/L	COD	250 mg/L				COD	1880	COD	181		
	BOD	700 mg/L	BOD	30 mg/L				BOD	459	BOD	23		
	SS	300 mg/L	SS	100 mg/L				SS	580	SS	140		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	91.78	NH ₃ -N	8.29		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.21	Phenolic Compounds	0.89		

M/s. Odhav Green Enviro Project Association, Odhav, Ahmedabad (GPCB ID: 12891)

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.00	pH	6.5-8.5	pH	6.5-8.5	12/10/2021 , 18/10/2021	0.8	Nil	pH	7.005	pH	7.365	-	Storage 10 MT
	COD	2000 mg/L	COD	250 mg/L				COD	596	COD	417.5		
	BOD	700 mg/L	BOD	30 mg/L				BOD	241.5	BOD	58		
	SS	300 mg/L	SS	100 mg/L				SS	411	SS	56		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	13.72	NH ₃ -N	14.115		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.77	Phenolic Compounds	0.155		

M/s. Naroda Enviro Project Ltd., Naroda, Ahmedabad (GPCB ID: 12718)

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
3.00	pH	6.5-8.5	pH	6.5-8.5	14/10/2021 , 18/10/2021 , 20/10/2021 , 22/10/2021 , 25/10/2021	4.5	Nil	pH	7.253	pH	7.277	-	Storage 6000 MT
	COD	2000 mg/L	COD	250 mg/L				COD	2578.5	COD	510.5		
	BOD	700 mg/L	BOD	30 mg/L				BOD	660.75	BOD	95.25		
	SS	300 mg/L	SS	100 mg/L				SS	316.166	SS	71		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	61.647	NH ₃ -N	42.49		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.536	Phenolic Compounds	0.23		

M/s. Narol Dyestuff Enviro Society., Narol, Ahmedabad (GPCB ID: 12720)

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.1	pH	6.5-8.5	pH	6.5-8.5	12/10/2021	0.020	Nil	pH	7.78	pH	7.80	-	Storage 20-25 MT
	COD	2000 mg/L	COD	250 mg/L				COD	610	COD	251		
	BOD	700 mg/L	BOD	30 mg/L				BOD	116	BOD	32		
	SS	300 mg/L	SS	100 mg/L				SS	118	SS	96		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	15.85	NH ₃ -N	7.56		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.68	Phenolic Compounds	0.31		

M/s. Narol Textile Infrastructure & Enviro Management, (ATPA Swarnim Gujarat Enviro P. Ltd), Ahmedabad (GPCB ID: 34244)

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
100	pH	6.5-8.5	pH	6.5-8.5	12/10/2021	100	Nil	pH	8.27	pH	8.55	-	Storage 9000-10000 MT
	COD	1200 mg/L	COD	250 mg/L				COD	1291	COD	120		
	BOD	500 mg/L	BOD	30 mg/L				BOD	315	BOD	16		
	SS	300 mg/L	SS	100 mg/L				SS	588	SS	74		
	NH ₃ -N	50 mg/L	NH ₃ -N	-				NH ₃ -N	24.92	NH ₃ -N	17.81		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	1.12	Phenolic Compounds	0.18		

M/s. Tata Motors Ltd Vendors Park, Sanand, Ahmedabad (GPCB ID: 13515)

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.5	pH	6-10.5	pH	6.5-8.5	06/10/2021	0.10	Nil	pH	-	pH	7.62	pH, DO meter, TOC meter, Flow meter	Storage 10 MT
	COD	900 mg/L	COD	100 mg/L				COD	-	COD	34		
	BOD	250 mg/L	BOD	30 mg/L				BOD	-	BOD	2.97		
	SS	100 mg/L	SS	100 mg/L				SS	-	SS	6		
	NH ₃ -N	-	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	1.96		
	Phenolic Compounds	-	Phenolic Compounds	-				Phenolic Compounds	-	Phenolic Compounds	BDL		

M/s. Zydus Infrastructure Pvt.Ltd, Changodar, Ahmedabad (GPCB ID: 14802)

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
3.5	pH	6- 8	pH	No outlet norms are prescribed as it is a ZLD based CETP by the means of MEE	04/10/2021	1.8	Nil	pH	7.71	pH	7.81	pH, TOC meter	Storage 43 MT
	COD	850 mg/L	COD					COD	268	COD	22		
	BOD (5 days at 20°C)	400 mg/L	BOD (5 days at 20°C)					BOD (3 days at 27°C)	46	BOD (3 days at 27°C)	<5		
	SS	300 mg/L	SS					SS	16	SS	4		
	NH ₃ -N	50 mg/L	NH ₃ -N					NH ₃ -N	23.86	NH ₃ -N	3.58		
	Phenolic Compounds	0.3 mg/L	Phenolic Compounds					Phenolic Compounds	0.24	Phenolic Compounds	BDL		

M/s. Bavla Eco Project Ltd., Bavla, Ahmedabad (GPCB ID: 10653)

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.00	pH	5.5-8.5	pH	6-10.5	07/10/2021	0.3	Nil	pH	-	pH	7.63	-	-
	COD	4500 mg/L	COD	250 mg/L				COD	-	COD	951		
	BOD	1500 mg/L	BOD	100 mg/L				BOD	-	BOD	117		
	SS	300 mg/L	SS	100 mg/L				SS	-	SS	188		
	NH ₃ -N	-	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	53.2		
	Phenolic Compounds	-	Phenolic Compounds	-				Phenolic Compounds	-	Phenolic Compounds	-		

M/s. Vinayak Jal SudhikaranSahakariMandali Ltd, Bavla, Ahmedabad (GPCB ID: 14686)

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.50	pH	5.5-8.5	pH	6 to 10.5	04/10/2021	4	Nil	pH	-	pH	7.92		-
	COD	4500 mg/L	COD	250 mg/L				COD	-	COD	163		
	BOD	1500 mg/L	BOD	100 mg/L				BOD	-	BOD	25		
	SS	300 mg/L	SS	100 mg/L				SS	-	SS	110		
	NH ₃ -N	-	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	12.60		
	Phenolic Compounds	-	Phenolic Compounds	-				Phenolic Compounds	-	Phenolic Compounds	-		

M/s. Nandesari Industrial Association (CETP), GIDC-Nandesari, Vadodara (GPCB ID: 22336)

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
12	pH	5 to 9	pH	6.5 to 8.5	05/10/2021	6.4	Nil	pH	6.55	pH	7.21	pH, COD, BOD, TSS, NH ₃ -N, Color, TOC, Temperature	-
	COD	1500 mg/L	COD	250 mg/L				COD	815	COD	220		
	BOD	500 mg/L	BOD	100 mg/L				BOD	185	BOD	46		
	SS	600 mg/L	SS	100 mg/L				SS	246	SS	108		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	1.18	NH ₃ -N	0.95		
	Phenolic Compounds	5 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.42	Phenolic Compounds	0.16		

M/s. Enviro Infrastructure Co. Ltd., Umraya (Padra), Vadodara (GPCB ID: 21878)

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
4.50	pH	5 to 9	pH	6.5 to 8.5	14/10/2021	2.2	Nil	pH	-	pH	7.95	pH, Flow Meter, TOC, TSS, Color, NH ₃ -N	Storage 120 MT , Disposal 34.720
	COD	2000 mg/L	COD	250 mg/L				COD	-	COD	213		
	BOD	500 mg/L	BOD	100 mg/L				BOD	-	BOD	48		
	SS	600 mg/L	SS	100 mg/L				SS	-	SS	54		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	1.46		
	Phenolic Compounds	5 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	BDL		

M/s. Enviro Technology Ltd., GIDC-Ankleshwar, Bharuch (GPCB ID: 15074)

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
	Parameter	Value	Parameter	Value				Parameter	Value	Parameter	Value		
3.5	pH	6.5-8.5	pH	6.5-8.5	11/10/2021	2.31	Nil	pH	7.295	pH	7.65	pH, Flow, COD, BOD, TSS, TOC	-
	COD	11000 mg/L	COD	1000 mg/L				COD	2997.5	COD	535		
	BOD	3600 mg/L	BOD	200 mg/L				BOD (3 days at 27°C)	795.5	BOD (3 days at 27°C)	16		
	SS	-	SS	150 mg/L				SS	716	SS	40		
	NH ₃ -N	-	NH ₃ -N	50 mg/L				NH ₃ -N	161.56	NH ₃ -N	44.8		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	5 mg/L				Phenolic Compounds	2.75	Phenolic Compounds	<0.1		

M/s. Narmada Clean Tech Ltd., (Bharuch Eco-Aqua Infrastructure Ltd.,) (BEAIL), Ankleshwar (GPCB ID: 27833)

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
40	pH	6.5-8.5	pH	6-9	18/10/2021	31.92	Nil	pH	7.01	pH	6.99	pH, Flow Meter, TOC, TSS	-
	COD	1000 mg/L	COD	500 mg/L				COD	1279	COD	509		
	BOD	200 mg/L	BOD	100 mg/L				BOD	307	BOD	117		
	SS	150 mg/L	SS	100 mg/L				SS	60	SS	34		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	154	NH ₃ -N	48.16		
	Phenolic Compounds	5 mg/L	Phenolic Compounds	5 mg/L				Phenolic Compounds	3.23	Phenolic Compounds	0.28		

M/s. Panoli Enviro Technology Ltd., GIDC-Panoli, Bharuch (GPCB ID: 15460)

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.02	pH	6.5-8.5	pH	6.5-8.5	11/10/2021	0.45	Nil	pH	6.62	pH	7.88	pH, Flow Meter, TOC	Storage 275 MT
	COD	10000 mg/L	COD	1000 mg/L				COD	1434	COD	1139		
	BOD	3000 mg/L	BOD	200 mg/L				BOD	383	BOD	259		
	SS	-	SS	150 mg/L				SS	514	SS	484		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	59.92	NH ₃ -N	46.48		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	5 mg/L				Phenolic Compounds	1.98	Phenolic Compounds	0.59		

M/s. Globe Enviro Care Ltd. [chemical units], GIDC-Sachin, Surat (GPCB ID: 20721)

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1	pH	6.5 to 8.5	pH	6.5 to 8.5	01/10/2021	0.236	Nil	pH	7.05	pH	7.35	pH, TOC, TSS, Flow meter	Storage 1302.595 MT
	COD	3000 mg/L	COD	250 mg/L				COD	1109	COD	238		
	BOD	1200 mg/L	BOD	30 mg/L				BOD	310	BOD	26		
	SS	300 mg/L	SS	100 mg/L				SS	168	SS	90		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	60.5	NH ₃ -N	45.9		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.9	Phenolic Compounds	0.56		

M/s. Sachin Infra Environment Ltd., GIDC-Sachin, Surat (GPCB ID: 21204)

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
50	pH	6.5 - 8.5	pH	6.5-8.5	01/10/2021	32.83	Nil	pH	6.91	pH	7.20	pH, Flow Meter, TOC	Storage 5800 MT Disposal 197.2 MT
	COD	1000 mg/L	COD	250 mg/L				COD	885	COD	245		
	BOD	400 mg/L	BOD	30 mg/L				BOD	215	BOD	29		
	SS	300 mg/L	SS	100 mg/L				SS	136	SS	72		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	19.6	NH ₃ -N	11.8		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.54	Phenolic Compounds	0.24		

M/s. Palsana Enviro Protection Ltd., (PEPL), Kadodara, Surat (GPCB ID: 21044)

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
150	pH	6.5 to 8.5	pH	6.5 to 8.5	02/10/2021	98	Nil	pH	6.52	pH	7.68	pH, Flow Meter, COD, BOD, TSS	Storage 771 MT , Disposal 459.23 MT
	COD	1000 mg/L	COD	250 mg/L				COD	1011	COD	240		
	BOD	400 mg/L	BOD	30 mg/L				BOD	290	BOD	28		
	SS	300 mg/L	SS	100 mg/L				SS	148	SS	78		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	26.3	NH ₃ -N	12.3		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.51	Phenolic Compounds	0.29		

M/s. Pandesara Infrastructure Ltd., GIDC-Pandesara, Surat (GPCB ID: 11142)

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
100	pH	6.5-8.5	pH	6.5-8.5	01/10/2021	81.5	Nil	pH	6.82	pH	7.32	pH, Flow Meter, TOC, COD	Storage 1207 MT, Disposal 111.07 MT
	COD	1000 mg/L	COD	250 mg/L				COD	851	COD	186		
	BOD	400 mg/L	BOD	30 mg/L				BOD	210	BOD	20		
	SS	300 mg/L	SS	100 mg/L				SS	142	SS	32		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	14.6	NH ₃ -N	8.40		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.44	Phenolic Compounds	0.18		

M/s. CETP of Kejriwal Integrated Textile Park Ltd – KITPL (GPCB ID: 41302)

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.25	pH	6.5-8.5	pH	6.5-8.5	01/10/2021	0.1	Nil	pH	-	pH	7.28	-	Storage 16 MT , Disposal 5.76 MT
	COD	<500 mg/L	COD	<20 mg/L				COD	-	COD	19		
	BOD	<200 mg/L	BOD	<5 mg/L				BOD	-	BOD	<5		
	SS	<150 mg/L	SS	<5 mg/L				SS	-	SS	10		
	NH ₃ -N	-	NH ₃ -N	-				NH ₃ -N	-	NH ₃ -N	4.5		
	Phenolic Compounds	-	Phenolic Compounds	-				Phenolic Compounds	-	Phenolic Compounds	-		

M/s. Gujarat Eco Textile Park Pvt Ltd, Palsana, Surat (GPCB ID: 31233)

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal		
60	pH	6.5-8.5	pH	6.5 to 8.5	01/10/2021	29	Nil	pH	7.20	pH	7.38	pH, Flow Meter, COD Meter including TOC	Storage 1540 MT, Disposal 26.42
	COD	1000 mg/L	COD	250 mg/L				COD	1049	COD	219		
	BOD	400 mg/L	BOD	30 mg/L				BOD	285	BOD	25		
	SS	300 mg/L	SS	100 mg/L				SS	192	SS	64		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	28.6	NH ₃ -N	15.1		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.92	Phenolic Compounds	0.76		

M/s. Fairdeal Textile Parks Pvt. Ltd, Kosamaba, Surat (GPCB ID:34209)

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
2.25	pH	6.5 -7.5	pH	7 to 8	02/10/2021	1.39	Nil	pH	-	pH	8.08	pH, Flow Meter	Storage 5.4 MT, Disposal 5.5 MT
	COD	500 mg/L	COD	<100 mg/L				COD	-	COD	40		
	BOD	200 mg/L	BOD	<30 mg/L				BOD	-	BOD	<5		
	SS	100 mg/L	SS	<60 mg/L				SS	-	SS	6		
	NH ₃ -N	-	NH ₃ -N	-				NH ₃ -N	-	NH ₃ -N	BDL		
	Phenolic Compounds	-	Phenolic Compounds	-				Phenolic Compounds	-	Phenolic Compounds	-		

M/s. New Palsana Industrial Co. Op. Society Ltd., Palsana, Surat (GPCB ID: 10462)

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
45	pH	6.5-8.5	pH	6.5-8.5	01/10/2021	25	Nil	pH	7.48	pH	7.71	pH, Flow meter, COD, BOD, TSS	Storage 830 MT
	COD	1000 mg/L	COD	250 mg/L				COD	676	COD	235		
	BOD	400 mg/L	BOD	30 mg/L				BOD	170	BOD	27		
	SS	300 mg/L	SS	<60 mg/L				SS	114	SS	32		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	16.8	NH ₃ -N	2.8		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.31	Phenolic Compounds	0.16		

Vapi Green Enviro Ltd(VGEL,Vapi) (OldName-Vapi Waste & Effluent Management Co.Ltd) (GPCB ID: 24764)

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
55	pH	6.5-8.5	pH.	6.5-8.5	06/10/2021, 25/10/2021	54	Nil	pH	7.265	pH	6.935	pH, Flow Meter, TOC & DO Meter	Storage 9700 MT
	COD	1000 mg/L	COD	250 mg/L				COD	1132	COD	309		
	BOD	400 mg/L	BOD	30 mg/L				BOD	239	BOD	170		
	SS	300 mg/L	SS	100 mg/L				SS	293	SS	101		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	73.92	NH ₃ -N	74.48		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	1.03	Phenolic Compounds	0.705		

M/s. Sarigam Clean Initiative (Old Name-Gujarat Industrial Development Corporation), Sarigam (GPCB ID: 43677)

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
12.5	pH	6.5-8.5	pH	6.5-8.5	08/10/2021 , 22/10/2021	9	Nil	pH	7.33	pH	7.60	Flow Meter, TOC meter	Storage 620 MT
	COD	1000 mg/L	COD	250 mg/L				COD	376	COD	262		
	BOD	400 mg/L	BOD	30 mg/L				BOD (3 days at 27°C)	78	BOD (3 days at 27°C)	33		
	SS	300 mg/L	SS	100 mg/L				SS	156	SS	68		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	11.2	NH ₃ -N	25.2		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.54	Phenolic Compounds	0.52		

M/s. Veraval Industries Association, Veraval, Junagadh (GPCB ID: 17197)

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
5	pH	5.5 to 9	pH	5.5 to 9.5	12/10/2021	5	Nil	pH	7.86	pH	7.70		Storage 1.6 MT
	COD	3500 mg/L	COD	250 mg/L				COD	850	COD	160		
	BOD	1000 mg/L	BOD	100 mg/L				BOD	290	BOD	52.5		
	SS	200 mg/L	SS	100 mg/L				SS	318	SS	132		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	280	NH ₃ -N	168		
	Phenol	-	Phenol	-				Phenolic Compounds	-	Phenolic Compounds	-		

M/s. Bhatgam Washing GhatSuddhikaranYojana Pvt. Ltd., Bhatgam,Rajkot (GPCB ID: 23674)

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
30	pH	10.5-12	pH	6-9	25/10/2021	10	Nil	pH	10.85	pH	8.93	pH, Flow meter, SS, Color, MLSS, COD	Storage 1040 MT
	COD	1000 mg/L	COD	250 mg/L				COD	316	COD	288		
	BOD	350 mg/L	BOD	100 mg/L				BOD	102	BOD	92		
	SS	2000 mg/L	SS	100 mg/L				SS	142	SS	42		
	NH ₃ -N	75 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	19.6	NH ₃ -N	8.4		
	Phenolic Compounds	5 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	BDL		

M/s. Jetpur Dyeing & Printing Association, Jetpur, Rajkot (GPCB ID: 19722)

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
7	pH	10.5-12.0	pH	6.5-9	27/10/2021	7.00	Nil	pH	8.26	pH	7.69	pH, Flow meter	Storage 460 MT
	COD	1000 mg/L	COD	250 mg/L				COD	2849	COD	710		
	BOD	350 mg/L	BOD	100 mg/L				BOD	959.25	BOD	250		
	SS	2000 mg/L	SS	100 mg/L				SS	302.5	SS	82		
	NH ₃ -N	75 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	18.55	NH ₃ -N	15.4		
	Phenolic Compounds	5 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	-		

M/s. Shri Dhareshwar GIDC Vistar Association, Dhareshwar, Rajkot (GPCB ID: 20111)

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.09	pH	10.5-12	pH	6.5 to 9	26/10/2021	0.09	Nil	pH	7.50	pH	7.43	pH, Flow Meter	Storage 20 MT
	COD	1000 mg/L	COD	250 mg/L				COD	2568	COD	572		
	BOD	350 mg/L	BOD	100 mg/L				BOD	875	BOD	183		
	SS	2000 mg/L	SS	100 mg/L				SS	332	SS	58		
	NH ₃ -N	75 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	22.4	NH ₃ -N	8.4		
	Phenolic Compounds	5 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	BDL	Phenolic Compounds	0.26		

M/s. Jay Khodiyar Enviro-Technologies Pvt. Ltd., Rajkot (GPCB ID: 19690)

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.009	pH	Up to 5	pH	6.5 to 8.5	07/10/2021	0.013	Nil	pH	<1	pH	7.76		-
	COD	250 mg/L	COD	100 mg/L				COD	258	COD	43.60		
	BOD	100 mg/L	BOD	30 mg/L				BOD	85	BOD	15		
	SS	250 mg/L	SS	100 mg/L				SS	118	SS	16		
	NH ₃ -N	-	NH ₃ -N	-				NH ₃ -N	11.2	NH ₃ -N	2.8		
	Phenolic Compounds	-	Phenolic Compounds	-				Phenolic Compounds	BDL	Phenolic Compounds	BDL		

M/s. Kalol GIDC Industries Association, Kadi, Gandhinagar (GPCB ID: 28811)

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.04	pH	6.5 to 8.5	pH	6.5 to 8.5	18/10/2021	0.35	Nil	pH	6.79	pH	7.42		Storage 70 MT
	COD	2000 mg/L	COD	250 mg/L				COD	337	COD	243		
	BOD	700 mg/L	BOD	100 mg/L				BOD	92	BOD	27		
	SS	-	SS	100 mg/L				SS	132	SS	128		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	10.14	NH ₃ -N	12.94		
	Phenolic Compounds	-	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.36	Phenolic Compounds	0.16		

M/s. MPSEZ Utilities (P) Limited, Mundra, Kutch (GPCB ID: 10605)

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
2.5	pH	6.5-8.5	pH	6-9	04/10/2021	0.15	Nil	pH	7.98	pH	7.69	pH, COD, BOD, TSS, Ammonical Nitrogen	Storage 4.5 MT
	COD	2000 mg/L	COD	250 mg/L				COD	410	COD	86		
	BOD	1000 mg/L	BOD	100 mg/L				BOD(3 days at 27° C)	132	BOD(3 days at 27° C)	27		
	SS	800 mg/L	SS	100 mg/L				SS	82	SS	31		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	12.3	NH ₃ -N	4.5		
	Phenolic Compounds	2 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0	Phenolic Compounds	0		

M/s CETP of Dahej Industrial Estate (GPCB ID: 50837)

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
40	pH	6.5-8.5	pH	6-9.0	18/10/2021 , 27/10/2021	0.66	Nil	pH	-	pH	7.55	pH, Flow Meter, TOC, COD, BOD, TSS	-
	COD	3000 mg/L	COD	250 mg/L				COD	-	COD	1409		
	BOD	1000 mg/L	BOD	100 mg/L				BOD	-	BOD	334.5		
	SS	300 mg/L	SS	100 mg/L				SS	-	SS	72		
	NH ₃ -N	150 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	149.8		
	Phenolic Compounds	3 mg/L	Phenolic Compounds	5 mg/L				Phenolic Compounds	-	Phenolic Compounds	1.38		

M/s Mangrol Enviro Protection LLP (MEPL) (GPCB ID: 72852)

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1	pH	6.5-7.5	pH	6.5-8.5	02/10/2021		Nil	pH	-	pH	7.53	pH, Flow Meter, TOC, COD, BOD, TSS	-
	COD	4000 mg/L	COD	100 mg/L				COD	-	COD	48		
	BOD	2500 mg/L	BOD	30 mg/L				BOD	-	BOD	12		
	SS	500 mg/L	SS	<60 mg/L				SS	-	SS	28		
	NH ₃ -N	-	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	2.8		
	Phenolic Compounds	-	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	-		

M/s Hojiwala Infrastructure Limited (GPCB ID: 47794)

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
10	pH	6.5-8.5	pH	6.5-8.5	01/10/2021	-	Nil	pH	-	pH	8.17		Storage 2.3 MT
	COD	400	COD	<40				COD	-	COD	29		
	BOD	200	BOD	<30				BOD	-	BOD	8.0		
	SS	200	SS	<10				SS	-	SS	4		
	NH ₃ -N	-	NH ₃ -N	-				NH ₃ -N	-	NH ₃ -N	2.8		
	Phenolic Compounds	-	Phenolic Compounds	-				Phenolic Compounds	-	Phenolic Compounds	-		