

M/s. The Green Environment Services Co. Op. Society Ltd, Vatva, Ahmedabad

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
16	pH	6.5-8.5	pH	6.5-8.5	Average value of October - 2018	20	Nil	pH	7.56	pH	7.10	pH, Flow Meter, TOC, COD, BOD, TSS	Storage – 6000 MT
	COD	2000 mg/L	COD	250 mg/L				COD	1138 mg/L	COD	642 mg/L		
	BOD	700 mg/L	BOD	30 mg/L				BOD	267 mg/L	BOD	121 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	480 mg/L	SS	143 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	43 mg/L	NH ₃ -N	6 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.39 mg/L	Phenolic Compounds	0.1 mg/L		

M/s. Odhav Enviro Project Ltd., Odhav, Ahmedabad

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.6	pH	6.5-8.5	pH	6.5-8.5	Average value of October - 2018	1.00	Nil	pH	8.14	pH	7.66	Flow meter at inlet & outlet, COD, pH, TSS, BOD	Storage – 100 MT
	COD	2000 mg/L	COD	250 mg/L				COD	1110 mg/L	COD	750 mg/L		
	BOD	700 mg/L	BOD	30 mg/L				BOD	295 mg/L	BOD	137 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	148 mg/L	SS	140 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	32 mg/L	NH ₃ -N	34 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	3.05 mg/L	Phenolic Compounds	1.89 mg/L		

M/s. Gujarat Vepari Maha Mandal Sahkari Udhyogik Vasahat Ltd, Ahmedabad

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.00	pH	6.5-8.5	pH	6.5-8.5	Average value of October - 2018	0.60	Nil	pH	-	pH	7.04	Flow Meter	Storage - 350 MT
	COD	2000 mg/L	COD	250 mg/L				COD	-	COD	138 mg/L		
	BOD	700 mg/L	BOD	30 mg/L				BOD	-	BOD	32 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	-	SS	92 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	87 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	BDL		

M/s. Odhav Green Enviro Project Association, Odhav, Ahmedabad

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.00	pH	6.5-8.5	pH	6.5-8.5	Average value of October - 2018	0.60	Nil	pH	-	pH	7.97	-	-
	COD	750 mg/L	COD	250 mg/L				COD	-	COD	307 mg/L		
	BOD	250 mg/L	BOD	30 mg/L				BOD	-	BOD	80 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	-	SS	255 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	32 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	BDL		

M/s. Naroda Enviro Project Ltd., Naroda, Ahmedabad

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
3.00	pH	6.5-8.5	pH	6.5-8.5	Average value of October - 2018	3.00	Nil	pH	-	pH	7.8	-	Storage – 5000 MT
	COD	2000 mg/L	COD	250 mg/L				COD	-	COD	1318 mg/L		
	BOD	700 mg/L	BOD	30 mg/L				BOD	-	BOD	166 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	-	SS	169 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	41 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	0.15 mg/L		

M/s. Narol Dyestuff Enviro Society., Narol, Ahmedabad

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.10	pH	6.5-8.5	pH	6.5-8.5	Average value of October - 2018	0.015	Nil	pH	8.36	pH	7.89	-	-
	COD	1500 mg/L	COD	250 mg/L				COD	3544 mg/L	COD	1081 mg/L		
	BOD	500 mg/L	BOD	30 mg/L				BOD	680 mg/L	BOD	165 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	964 mg/L	SS	328 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	9 mg/L	NH ₃ -N	10 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	5.37 mg/L	Phenolic Compounds	3.39 mg/L		

M/s. Narol Textile Infrastructure & Enviro Management, (ATPA Swarnim Gujarat Enviro P. Ltd), Ahmedabad

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
16	pH	6.5-8.5	pH	6.5-8.5	Average value of October - 2018	20	Nil	pH	7.17	pH	7.78	pH, Flow Meter, TOC, COD, BOD, TSS	Storage – 350 MT
	COD	1200 mg/L	COD	250 mg/L				COD	880 mg/L	COD	405 mg/L		
	BOD	500 mg/L	BOD	30 mg/L				BOD	389 mg/L	BOD	94 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	448 mg/L	SS	261 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	67 mg/L	NH ₃ -N	63 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	BDL	Phenolic Compounds	BDL		

M/s. Tata Motors Ltd Vendors Park, Sanand, Ahmedabad

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.5	pH	6-10.5	pH	6.5-8.5	Average value of October - 2018	0.10	Nil	pH	-	pH	7.99	pH, DO meter, TOC meter, Flow meter	-
	COD	900 mg/L	COD	100 mg/L				COD	-	COD	34 mg/L		
	BOD	250 mg/L	BOD	30 mg/L				BOD	-	BOD	5 mg/L		
	SS	100 mg/L	SS	100 mg/L				SS	-	SS	18 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	9 mg/L		
	Phenolic Compounds	Not Applicable	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	BDL		

M/s. Zydus Infrastructure Pvt.Ltd, Changodar, Ahmedabad

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.5	pH	6- 8	pH	No outlet norms are prescribed as it is a ZLD based CETP by the means of MEE	Average value of October - 2018	1.3	Nil	pH	-	pH	6.78	pH, TOC meter	Storage – 6 MT
	COD	850 mg/L	COD					COD	10 mg/L				
	BOD (3 days at 27°C)	400 mg/L	BOD (3 days at 27°C)					BOD (3 days at 27°C)	2 mg/L				
	SS	300 mg/L	SS					SS	4 mg/L				
	NH ₃ -N	<10 mg/L	NH ₃ -N					NH ₃ -N	1 mg/L				
	Phenolic Compounds	<3 mg/L	Phenolic Compounds					Phenolic Compounds	BDL				

M/s. Bavla Eco Project Ltd., Bavla, Ahmedabad

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.00	pH	5.5-8.5	pH	6.5-8.5	Average value of October - 2018	1.00	Nil	pH	-	pH	7.81	-	Sludge is used as Manure
	COD	4500 mg/L	COD	250 mg/L				COD	-	COD	326 mg/L		
	BOD	1500 mg/L	BOD	100 mg/L				BOD	-	BOD	52 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	-	SS	131 mg/L		
	NH ₃ -N	-	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	23 mg/L		
	Phenolic Compounds	-	Phenolic Compounds	Not Applicable				Phenolic Compounds	-	Phenolic Compounds	--		

M/s. Vinayak Jal Sudhikaran Sahakari Mandali Ltd, Bavla, Ahmedabad

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.50	pH	5.5-8.5	pH	6.5-8.5	Average value of October - 2018	1.50	Nil	pH	-	pH	8.06	-	Sludge is used as Manure
	COD	4500 mg/L	COD	250 mg/L				COD	-	COD	163 mg/L		
	BOD	1500 mg/L	BOD	100 mg/L				BOD	-	BOD	37 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	-	SS	26 mg/L		
	NH ₃ -N	-	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	9 mg/L		
	Phenolic Compounds	-	Phenolic Compounds	Not Applicable				Phenolic Compounds	-	Phenolic Compounds	-		

M/s. Nandesari Industrial Association (CETP), GIDC-Nandesari, Vadodara

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
6.80	pH	5 to 9	pH	6.5 to 8.5	Average value of October - 2018	4.80	Nil	pH	7.38	pH	6.88	pH, COD, BOD, TSS, NH ₃ -N, Color, TOC, Temperature	-
	COD	1500 mg/L	COD	250 mg/L				COD	1176 mg/L	COD	245 mg/L		
	BOD	500 mg/L	BOD	100 mg/L				BOD	245 mg/L	BOD	35 mg/L		
	SS	600 mg/L	SS	100 mg/L				SS	200 mg/L	SS	84 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	64 mg/L	NH ₃ -N	1 mg/L		
	Phenolic Compounds	5 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	BDL	Phenolic Compounds	BDL		

M/s. Enviro Infrastructure Co. Ltd., Umraya (Padra), Vadodara

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
4.50	pH	5 to 9	pH	6.5 to 8.5	Average value of October - 2018	1.50	Nil	pH	7.46	pH	7.84	pH, Flow Meter, TOC, TSS, Color, NH ₃ -N	-
	COD	2000 mg/L	COD	250 mg/L				COD	446 mg/L	COD	239 mg/L		
	BOD	500 mg/L	BOD	100 mg/L				BOD	110 mg/L	BOD	42 mg/L		
	SS	600 mg/L	SS	100 mg/L				SS	82 mg/L	SS	36 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	8 mg/L	NH ₃ -N	4 mg/L		
	Phenolic Compounds	5 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	BDL	Phenolic Compounds	BDL		

M/s. Enviro Technology Ltd., GIDC-Ankleshwar, Bharuch

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.80	pH	-	pH	5.5-8.5	Average value of October - 2018	1.10	Nil	pH	7.02	pH	7.26	pH, Flow, COD, BOD, TSS, TOC	Storage – Nil
	COD	11000 mg/L	COD	1000 mg/L				COD	4336 mg/L	COD	629 mg/L		
	BOD (3 days at 27°C)	3600 mg/L	BOD (3 days at 27°C)	200 mg/L				BOD (3 days at 27°C)	950 mg/L	BOD (3 days at 27°C)	25 mg/L		
	SS	-	SS	100 mg/L				SS	248 mg/L	SS	46 mg/L		
	NH ₃ -N	100 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	28 mg/L	NH ₃ -N	17 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	12.29 mg/L	Phenolic Compounds	0.49 mg/L		

M/s. Narmada Clean Tech Ltd., (Bharuch Eco-Aqua Infrastructure Ltd.,) (BEAIL), Ankleshwar

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
40	pH	6.5-8.5	pH	6-9	Average value of October - 2018	40	Nil	pH	7.02	pH	7.03	pH, Flow Meter, TOC, TSS	Storage – 350 MT
	COD	1000 mg/L	COD	500 mg/L				COD	1366 mg/L	COD	469 mg/L		
	BOD	200 mg/L	BOD	100 mg/L				BOD	422 mg/L	BOD	22 mg/L		
	SS	150 mg/L	SS	100 mg/L				SS	117 mg/L	SS	26 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	78 mg/L	NH ₃ -N	50 mg/L		
	Phenolic Compounds	5 mg/L	Phenolic Compounds	5 mg/L				Phenolic Compounds	3.03 mg/L	Phenolic Compounds	0.685 mg/L		

M/s. Panoli Enviro Technology Ltd., GIDC-Panoil, Bharuch

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.00	pH	-	pH	5.5-8.5	Average value of October - 2018	0.35	Nil	pH	7.15	pH	7.49	pH, Flow Meter, TOC	Storage – 120 MT
	COD	3500 mg/L	COD	500 mg/L				COD	2659 mg/L	COD	759 mg/L		
	BOD	1000 mg/L	BOD	100 mg/L				BOD	776 mg/L	BOD	27 mg/L		
	SS	-	SS	100 mg/L				SS	337 mg/L	SS	66 mg/L		
	NH ₃ -N	100 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	34 mg/L	NH ₃ -N	52 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	9.18 mg/L	Phenolic Compounds	0.465 mg/L		

M/s. Globe Enviro Care Ltd. [chemical units], GIDC-Sachin, Surat

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.50	pH	6.5 to 8.5	pH	6.5 to 8.5	Average value of October - 2018	0.35	Nil	pH	7.06	pH	6.61	pH, TOC, TSS, Flow meter	Storage – 49 MT
	COD	3000 mg/L	COD	250 mg/L				COD	1336 mg/L	COD	244 mg/L		
	BOD	1200 mg/L	BOD	30 mg/L				BOD	342 mg/L	BOD	48 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	362 mg/L	SS	144 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	52 mg/L	NH ₃ -N	28 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.45 mg/L	Phenolic Compounds	0.45 mg/L		

M/s. Sachin Infra Environment Ltd., GIDC-Sachin, Surat

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
50	pH	Not Furnished	pH	6.5-8.5	Average value of October - 2018	40	Nil	pH	6.83	pH	7.225	pH, Flow Meter, TOC	Storage – 230 MT
	COD	1000 mg/L	COD	250 mg/L				COD	1199 mg/L	COD	263 mg/L		
	BOD	400 mg/L	BOD	30 mg/L				BOD	350 mg/L	BOD	32 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	209 mg/L	SS	102 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	38 mg/L	NH ₃ -N	18 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	01 mg/L				Phenolic Compounds	0.425 mg/L	Phenolic Compounds	0.30 mg/L		

M/s. Palsana Enviro Protection Ltd., (PEPL), Kadodara, Surat

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
100	pH	6.5 to 8.5	pH	6.5 to 8.5	Average value of October – 2018	95	Nil	pH	7.34	pH	7.46	pH, Flow Meter, COD, BOD, TSS	Storage- 578 MT
	COD	1000 mg/L	COD	250 mg/L				COD	1311 mg/L	COD	240 mg/L		
	BOD	400 mg/L	BOD	30 mg/L				BOD	274 mg/L	BOD	24 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	216 mg/L	SS	52 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	40 mg/L	NH ₃ -N	15 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.19 mg/L	Phenolic Compounds	0.15 mg/L		

M/s. Pandesara Infrastructure Ltd., GIDC- Pandesara, Surat

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
100	pH	6.5-8.5	pH	6.5-8.5	Average value of October - 2018	88	Nil	pH	7.61	pH	7.46	pH, Flow Meter, TOC, COD	Storage – 5500 MT
	COD	1000 mg/L	COD	250 mg/L				COD	1245 mg/L	COD	229 mg/L		
	BOD	400 mg/L	BOD	30 mg/L				BOD	386 mg/L	BOD	29 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	330 mg/L	SS	48 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	38 mg/L	NH ₃ -N	20 mg/L		
	Phenolic Compounds	01 mg/L	Phenolic Compounds	01 mg/L				Phenolic Compounds	0.17 mg/L	Phenolic Compounds	0.15 mg/L		

M/s. Gujarat Eco Textile Park Pvt Ltd, Palsana, Surat

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
60	pH	6.5-8.5	pH	6.5 to 8.5	Average value of October – 2018	35	Nil	pH	7.97	pH	7.99	pH, Flow Meter, COD Meter including TOC	Storage – 420 MT Disposal - 59 MT
	COD	1000 mg/L	COD	250 mg/L				COD	839 mg/L	COD	230 mg/L		
	BOD	400 mg/L	BOD	100 mg/L				BOD	270 mg/L	BOD	28 mg/L		
	SS	300 mg/L	SS	<60 mg/L				SS	218 mg/L	SS	118 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	16 mg/L	NH ₃ -N	8 mg/L		
	Phenolic Compounds	-	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.17 mg/L	Phenolic Compounds	0.12 mg/L		

M/s. Fairdeal Textile Parks Pvt. Ltd, Kosamaba, Surat

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
2.25	pH	-	pH	6.5 to 8.5	No visit in the month of October – 2018	1.00	Nil	pH	-	pH	-	pH, Flow Meter	-
	COD	500 mg/L	COD	100 mg/L				COD	-	COD	-		
	BOD	200 mg/L	BOD	30 mg/L				BOD	-	BOD	-		
	SS	-	SS	<60 mg/L				SS	-	SS	-		
	NH ₃ -N	-	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	-		
	Phenolic Compounds	-	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	-		

M/s. New Palsana Industrial Co. Op. Society Ltd., Palsana, Surat

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
45	pH	6.5-8.5	pH	6.5-8.5	Average value of October - 2018	22	Nil	pH	7.39	pH	7.63	pH, Flow meter, COD, BOD, TSS	Storage - 525 MT
	COD	1000 mg/L	COD	250 mg/L				COD	1047 mg/L	COD	240 mg/L		
	BOD	400 mg/L	BOD	30 mg/L				BOD	310 mg/L	BOD	28 mg/L		
	SS	300 mg/L	SS	<60 mg/L				SS	114 mg/L	SS	56 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	32 mg/L	NH ₃ -N	19 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.15 mg/L	Phenolic Compounds	0.17 mg/L		

M/s. Vapi Waste & Effluent Management Co. Ltd, Vapi

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
55	pH	6.5-8.5	0.	6.5-8.5	Average value of October - 2018	55	Nil	pH	7.38	pH	7.65	pH, Flow Meter, TOC & DO Meter	Storage – 14000 MT
	COD	1000 mg/L	COD	250 mg/L				COD	1262 mg/L	COD	304 mg/L		
	BOD	400 mg/L	BOD	30 mg/L				BOD	330 mg/L	BOD	45 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	407 mg/L	SS	123 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	105 mg/L	NH ₃ -N	55 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	4.12 mg/L	Phenolic Compounds	0.72 mg/L		

M/s. Sarigam Clean Initiative (Old Name-Gujarat Industrial Development Corporation), Sarigam

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
12.5	pH	6.5-8.5	pH	6.5-8.5	Average value of October - 2018	8.5	Nil	pH	7.22	pH	7.53	Flow Meter, TOC meter	-
	COD	1000 mg/L	COD	250 mg/L				COD	427 mg/L	COD	159 mg/L		
	BOD (3 days at 27°C)	400 mg/L	BOD (3 days at 27°C)	100 mg/L				BOD (3 days at 27°C)	96 mg/L	BOD (3 days at 27°C)	28 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	146 mg/L	SS	66 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	10 mg/L	NH ₃ -N	33 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.8 mg/L	Phenolic Compounds	0.3 mg/L		

M/s. Veraval Industries Association, Veraval, Junagadh

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
5	pH	5.5 to 9	pH	6 to 9	No visit in the month of October – 2018	1.5	Nil	pH	-	pH	-	-	-
	COD	3500 mg/L	COD	250 mg/L				COD	-	COD	-		
	BOD	1000 mg/L	BOD	100 mg/L				BOD	-	BOD	-		
	SS	200 mg/L	SS	100 mg/L				SS	-	SS	-		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	-		
	Phenol	-	Phenol	-				Phenolic Compounds	-	Phenolic Compounds	-		

M/s. Bhatgam Washing Ghat Suddhikaran Yojana Pvt. Ltd., Bhatgam, Rajkot

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
30	pH	10.5-12	pH	6.5-9	Average value of October - 2018	6.00	Nil	pH	11.01	pH	9.35	pH, Flow meter, SS, Color, MLSS, COD	-
	COD	1000 mg/L	COD	100 mg/L				COD	205 mg/L	COD	171 mg/L		
	BOD	350 mg/L	BOD	30 mg/L				BOD	49 mg/L	BOD	26 mg/L		
	SS	2000 mg/L	SS	100 mg/L				SS	144 mg/L	SS	150 mg/L		
	NH ₃ -N	75 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	6 mg/L	NH ₃ -N	3 mg/L		
	Phenolic Compounds	5 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	-		

M/s. Jetpur Dyeing & Printing Association, Jetpur, Rajkot

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
10.00	pH	10.5-12.0	pH	6.5-8.5	Average value of October - 2018	7.00	Nil	pH	7.37	pH	7.595	pH, Flow meter	Storage – 170 MT
	COD	1000 mg/L	COD	250 mg/L				COD	926 mg/L	COD	167 mg/L		
	BOD	350 mg/L	BOD	100 mg/L				BOD	305 mg/L	BOD	49 mg/L		
	SS	2000 mg/L	SS	100 mg/L				SS	346 mg/L	SS	94 mg/L		
	NH ₃ -N	75 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	19 mg/L	NH ₃ -N	10 mg/L		
	Phenolic Compounds	5 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	-		

M/s. Shri Dhareshwar GIDC Vistar Association, Dhareshwar, Rajkot

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.09	pH	10.5-12	pH	6.5 to 9	No visit in the month of October – 2018	0.07	Nil	pH	-	pH	-	pH, Flow Meter	-
	COD	1000 mg/L	COD	100 mg/L				COD	-	COD	-		
	BOD	350 mg/L	BOD	30 mg/L				BOD	-	BOD	-		
	SS	2000 mg/L	SS	100 mg/L				SS	-	SS	-		
	NH ₃ -N	75 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	-		
	Phenolic Compounds	5 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	-		

M/s. Jay Khodiyar Enviro-Technologies Pvt. Ltd., Rajkot

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.025	pH	Up to 5	pH	6.5 to 8.5	Average value of October - 2018	0.007	Nil	pH	1.33	pH	8.56	-	Storage – 11 MT
	COD	250 mg/L	COD	100 mg/L				COD	49 mg/L	COD	8 mg/L		
	BOD	100 mg/L	BOD	30 mg/L				BOD	14 mg/L	BOD	2 mg/L		
	SS	250 mg/L	SS	100 mg/L				SS	556 mg/L	SS	14 mg/L		
	NH ₃ -N	-	NH ₃ -N	50 mg/L				NH ₃ -N	9 mg/L	NH ₃ -N	0.27 mg/L		
	Phenolic Compounds	-	Phenolic Compounds	1 mg/L				Phenolic Compounds	BDL	Phenolic Compounds	BDL		

M/s. Kalol GIDC Industries Association, Kadi, Gandhinagar

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.40	pH	6.5 to 8.5	pH	6.5 to 8.5	Average value of October - 2018	0.35	Nil	pH	-	pH	7.35	-	Storage – 45 MT
	COD	2000 mg/L	COD	250 mg/L				COD	-	COD	1053 mg/L		
	BOD	700 mg/L	BOD	100 mg/L				BOD	-	BOD	221 mg/L		
	SS	-	SS	100 mg/L				SS	-	SS	208 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	92 mg/L		
	Phenolic Compounds	-	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	0.86 mg/L		

M/s. MPSEZ Utilities (P) Limited, Mundra, Kutch

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
2.5	pH	6.5-8.5	pH	6.5-8.5	Average value of October - 2018	0.10	Nil	pH	7.04	pH	7.54	pH, COD, BOD, TSS, Ammonical Nitrogen	--
	COD	2000 mg/L	COD	250 mg/L				COD	130 mg/L	COD	40 mg/L		
	BOD (3 days at 27° C)	1000 mg/L	BOD(3 days at 27° C)	100 mg/L				BOD(3 days at 27° C)	50 mg/L	BOD(3 days at 27° C)	14 mg/L		
	SS	800 mg/L	SS	100 mg/L				SS	38 mg/L	SS	22 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	31 mg/L	NH ₃ -N	13 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	-		