

M/s. The Green Environment Services Co. Op. Society Ltd, Vatva, Ahmedabad

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
16	pH	6.5-8.5	pH	6.5-8.5	Average value of June- 2020 (12/06/2020)	23	Nil	pH	8.04	pH	7.63	pH, Flow Meter, TOC, COD, BOD, TSS	Storage – 4500 MT
	COD	2000 mg/L	COD	250 mg/L				COD	1317 mg/L	COD	509 mg/L		
	BOD	700 mg/L	BOD	30 mg/L				BOD	482 mg/L	BOD	95 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	352 mg/L	SS	28 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	166.5 mg/L	NH ₃ -N	35.8 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	1.24 mg/L	Phenolic Compounds	0.37 mg/L		

M/s. Odhav Enviro Project Ltd., Odhav, Ahmedabad

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.2	pH	6.5-8.5	pH	6.5-8.5	Average value of June- 2020 (08/06/2020)	1.1	Nil	pH	7.04	pH	7.6	Flow meter at inlet & outlet, COD, pH, TSS, BOD	Storage - 60 MT
	COD	2000 mg/L	COD	250 mg/L				COD	1634 mg/L	COD	545 mg/L		
	BOD	700 mg/L	BOD	30 mg/L				BOD	490 mg/L	BOD	114 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	390 mg/L	SS	74 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	146 mg/L	NH ₃ -N	39.8 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	2.90 mg/L	Phenolic Compounds	0.95 mg/L		

M/s. Gujarat Vepari Maha Mandal Sahkari Udhdyogik Vasahat Ltd, Ahmedabad

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.45	pH	6.5-8.5	pH	6.5-8.5	Average value of June – 2020 (03/06/2020)	0.7	Nil	pH	6.27	pH	7.65	Flow Meter	Storage – 80 MT
	COD	2000 mg/L	COD	250 mg/L				COD	480 mg/L	COD	146 mg/L		
	BOD	700 mg/L	BOD	30 mg/L				BOD	122 mg/L	BOD	24 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	634 mg/L	SS	52 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	62.8 mg/L	NH ₃ -N	22.4 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.36 mg/L	Phenolic Compounds	BDL		

M/s. Odhav Green Enviro Project Association, Odhav, Ahmedabad

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.00	pH	6.5-8.5	pH	6.5-8.5	June-2020 (16/06/2020) Sampling not done as CETP not in operation	0.8	Nil	pH	-	pH	-	-	10 MT
	COD	750 mg/L	COD	250 mg/L				COD	-	COD	-		
	BOD	250 mg/L	BOD	30 mg/L				BOD	-	BOD	-		
	SS	300 mg/L	SS	100 mg/L				SS	-	SS	-		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	-		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	-		

M/s. Naroda Enviro Project Ltd., Naroda, Ahmedabad

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
3.00	pH	6.5-8.5	pH	6.5-8.5	Average value of June- 2020 (05/06/2020)	4.5	Nil	pH	8.07	pH	7.29	-	Storage - 800 MT
	COD	2000 mg/L	COD	250 mg/L				COD	3531 mg/L	COD	619 mg/L		
	BOD	700 mg/L	BOD	30 mg/L				BOD	1007 mg/L	BOD	159 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	206 mg/L	SS	48 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	80.9 mg/L	NH ₃ -N	22.9 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	1.26 mg/L	Phenolic Compounds	1.91 mg/L		

M/s. Narol Dyestuff Enviro Society., Narol, Ahmedabad

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.045	pH	6.5-8.5	pH	6.5-8.5	Average value of June- 2020 (09/06/2020)	0.020	Nil	pH	7.8	pH	8.08	-	Storage - 45 MT
	COD	1500 mg/L	COD	250 mg/L				COD	290 mg/L	COD	340 mg/L		
	BOD	500 mg/L	BOD	30 mg/L				BOD	59 mg/L	BOD	80 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	82 mg/L	SS	54 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	3.25 mg/L	NH ₃ -N	21.45 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.22 mg/L	Phenolic Compounds	0.31 mg/L		

M/s. Narol Textile Infrastructure & Enviro Management, (ATPA Swarnim Gujarat Enviro P. Ltd), Ahmedabad

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
100	pH	6.5-8.5	pH	6.5-8.5	Average value of June – 2020 (16/06/2020)	100	Nil	pH	7.79	pH	8.48	-	Storage- 800 MT
	COD	1200 mg/L	COD	250 mg/L				COD	805	COD	323		
	BOD	500 mg/L	BOD	30 mg/L				BOD	312	BOD	64		
	SS	300 mg/L	SS	100 mg/L				SS	527	SS	110		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	33.26	NH ₃ -N	17.98		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	BDL	Phenolic Compounds	BDL		

M/s. Tata Motors Ltd Vendors Park, Sanand, Ahmedabad

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.5	pH	6-10.5	pH	6.5-8.5	Average value of June- 2020 (19/06/2020)	0.10	Nil	pH	-	pH	8.53	pH, DO meter, TOC meter, Flow meter	Storage – 4 MT
	COD	900 mg/L	COD	100 mg/L				COD	-	COD	28 mg/L		
	BOD	250 mg/L	BOD	30 mg/L				BOD	-	BOD	7 mg/L		
	SS	100 mg/L	SS	100 mg/L				SS	-	SS	14 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	0.78 mg/L		
	Phenolic Compounds	Not Applicable	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	BDL		

M/s. Zydus Infrastructure Pvt.Ltd, Changodar, Ahmedabad

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
3.5	pH	6- 8	pH	No outlet norms are prescribed as it is a ZLD based CETP by the means of MEE	Average value of June- 2020 (17/06/2020)	1.8	Nil	pH	8.28	pH	8.06	pH, TOC meter	Storage – 30 MT
	COD	850 mg/L	COD					COD	283 mg/L	COD	08 mg/L		
	BOD (3 days at 27°C)	400 mg/L	BOD (3 days at 27°C)					BOD (3 days at 27°C)	90 mg/L	BOD (3 days at 27°C)	2 mg/L		
	SS	300 mg/L	SS					SS	38 mg/L	SS	04 mg/L		
	NH ₃ -N	<10 mg/L	NH ₃ -N					NH ₃ -N	26.8 mg/L	NH ₃ -N	0.73 mg/L		
	Phenolic Compounds	<3 mg/L	Phenolic Compounds					Phenolic Compounds	0.17 mg/L	Phenolic Compounds	BDL		

M/s. Bavla Eco Project Ltd., Bavla, Ahmedabad

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.00	pH	5.5-8.5	pH	6.5-8.5	Average value of June- 2020 (29/06/2020)	0.3	Nil	pH	-	pH	7.78	-	-
	COD	4500 mg/L	COD	250 mg/L				COD	-	COD	519 mg/L		
	BOD	1500 mg/L	BOD	100 mg/L				BOD	-	BOD	196 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	-	SS	243 mg/L		
	NH ₃ -N	-	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	60.9 mg/L		
	Phenolic Compounds	-	Phenolic Compounds	Not Applicable				Phenolic Compounds	-	Phenolic Compounds	-		

M/s. Vinayak Jal Sudhikaran Sahakari Mandali Ltd, Bavla, Ahmedabad

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.50	pH	5.5-8.5	pH	6.5-8.5	Average value of June- 2020 (29/06/2020)	4	Nil	pH	-	pH	7.85	-	-
	COD	4500 mg/L	COD	250 mg/L				COD	-	COD	179 mg/L		
	BOD	1500 mg/L	BOD	100 mg/L				BOD	-	BOD	74 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	-	SS	272 mg/L		
	NH ₃ -N	-	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	7.9 mg/L		
	Phenolic Compounds	-	Phenolic Compounds	Not Applicable				Phenolic Compounds	-	Phenolic Compounds	-		

M/s. Nandesari Industrial Association (CETP), GIDC-Nandesari, Vadodara

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
12	pH	5 to 9	pH	6.5 to 8.5	Average value of June- 2020 (15/06/2020)	6.4	Nil	pH	-	pH	7.04	pH, COD, BOD, TSS, NH ₃ -N, Color, TOC, Temperature	-
	COD	1500 mg/L	COD	250 mg/L				COD	-	COD	167 mg/L		
	BOD	500 mg/L	BOD	100 mg/L				BOD	-	BOD	22 mg/L		
	SS	600 mg/L	SS	100 mg/L				SS	-	SS	38 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	1.12 mg/L		
	Phenolic Compounds	5 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	-		

M/s. Enviro Infrastructure Co. Ltd., Umraya (Padra), Vadodara

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
4.50	pH	5 to 9	pH	6.5 to 8.5	Average value of June- 2020 (24/06/2020)	2.2	Nil	pH	7.38	pH	7.70	pH, Flow Meter, TOC, TSS, Color, NH ₃ -N	-
	COD	2000 mg/L	COD	250 mg/L				COD	509.5 mg/L	COD	236 mg/L		
	BOD	500 mg/L	BOD	100 mg/L				BOD	152.5 mg/L	BOD	40 mg/L		
	SS	600 mg/L	SS	100 mg/L				SS	128 mg/L	SS	116 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	13.7 mg/L	NH ₃ -N	4.48 mg/L		
	Phenolic Compounds	5 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.1 mg/L	Phenolic Compounds	BDL		

M/s. Enviro Technology Ltd., GIDC-Ankleshwar, Bharuch

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
3.5	pH	6.5-8.5	pH	6.5-8.5	Average value of June- 2020 (30/06/2020)	2.31	Nil	pH	7.36	pH	6.51	pH, Flow, COD, BOD, TSS, TOC	storage-Nil
	COD	11000 mg/L	COD	1000 mg/L				COD	3411 mg/L	COD	871 mg/L		
	BOD (3 days at 27°C)	3600 mg/L	BOD (3 days at 27°C)	200 mg/L				BOD (3 days at 27°C)	479 mg/L	BOD (3 days at 27°C)	23 mg/L		
	SS	-	SS	150 mg/L				SS	336 mg/L	SS	34 mg/L		
	NH ₃ -N	100 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	24.9 mg/L	NH ₃ -N	46.7 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	5 mg/L				Phenolic Compounds	8.5 mg/L	Phenolic Compounds	0.62 mg/L		

M/s. Narmada Clean Tech Ltd., (Bharuch Eco-Aqua Infrastructure Ltd.,) (BEAIL), Ankleshwar

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
40	pH	6.5-8.5	pH	6-9	Average value of June- 2020 (29/06/2020)	31.92	Nil	pH	7.66	pH	7.00	pH, Flow Meter, TOC, TSS	storage-Nil
	COD	1000 mg/L	COD	500 mg/L				COD	1521 mg/L	COD	451 mg/L		
	BOD	200 mg/L	BOD	100 mg/L				BOD	450 mg/L	BOD	16 mg/L		
	SS	150 mg/L	SS	100 mg/L				SS	198 mg/L	SS	96 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	88.48 mg/L	NH ₃ -N	45.58 mg/L		
	Phenolic Compounds	5 mg/L	Phenolic Compounds	5 mg/L				Phenolic Compounds	6.94 mg/L	Phenolic Compounds	0.45 mg/L		

M/s. Panoli Enviro Technology Ltd., GIDC-Panoli, Bharuch

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.02	pH	6.5-8.5	pH	6.5-8.5	Average value of June- 2020 (25/06/2020)	0.45	Nil	pH	6.90	pH	7.28	pH, Flow Meter, TOC	Storage – 30 MT
	COD	10000 mg/L	COD	1000 mg/L				COD	2329 mg/L	COD	613 mg/L		
	BOD	3000 mg/L	BOD	200 mg/L				BOD	451 mg/L	BOD	22 mg/L		
	SS	-	SS	150 mg/L				SS	80 mg/L	SS	640 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	36.96 mg/L	NH ₃ -N	51.13 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	1.87 mg/L	Phenolic Compounds	0.43 mg/L		

M/s. Globe Enviro Care Ltd. [chemical units], GIDC-Sachin, Surat

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1	pH	6.5 to 8.5	pH	6.5 to 8.5	Average value of June- 2020 (16/06/2020)	0.236	Nil	pH	7.35	pH	7.25	pH, TOC, TSS, Flow meter	-
	COD	3000 mg/L	COD	250 mg/L				COD	1760 mg/L	COD	209 mg/L		
	BOD	1200 mg/L	BOD	30 mg/L				BOD	262 mg/L	BOD	26 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	380 mg/L	SS	58 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	62.1 mg/L	NH ₃ -N	42 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	1.94 mg/L	Phenolic Compounds	0.96 mg/L		

M/s. Sachin Infra Environment Ltd., GIDC-Sachin, Surat

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
50	pH	6.5 - 8.5	pH	6.5-8.5	Average value of June- 2020 (16/06/2020)	32.83	Nil	pH	7.36	pH	7.15	pH, Flow Meter, TOC	Storage – 400 MT
	COD	1000 mg/L	COD	250 mg/L				COD	928 mg/L	COD	229 mg/L		
	BOD	400 mg/L	BOD	30 mg/L				BOD	179 mg/L	BOD	27 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	84 mg/L	SS	50 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	14 mg/L	NH ₃ -N	7.3 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	01 mg/L				Phenolic Compounds	1.61 mg/L	Phenolic Compounds	0.86 mg/L		

M/s. Palsana Enviro Protection Ltd., (PEPL), Kadodara, Surat

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
150	pH	6.5 to 8.5	pH	6.5 to 8.5	Average value of June- 2020 (17/06/2020)	98	Nil	pH	7.39	pH	7.29	pH, Flow Meter, COD, BOD, TSS	Storage – 500 MT
	COD	1000 mg/L	COD	250 mg/L				COD	876 mg/L	COD	208 mg/L		
	BOD	400 mg/L	BOD	30 mg/L				BOD	153 mg/L	BOD	24 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	102 mg/L	SS	56 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	26.9 mg/L	NH ₃ -N	19 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	1.27 mg/L	Phenolic Compounds	0.73 mg/L		

M/s. Pandesara Infrastructure Ltd., GIDC-Pandesara, Surat

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
100	pH	6.5-8.5	pH	6.5-8.5	Average value of June- 2020 (16/06/2020)	81.5	Nil	pH	7.41	pH	7.12	pH, Flow Meter, TOC, COD	Storage – 400 MT
	COD	1000 mg/L	COD	250 mg/L				COD	911 mg/L	COD	201 mg/L		
	BOD	400 mg/L	BOD	30 mg/L				BOD	161mg/L	BOD	24 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	148 mg/L	SS	80 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	21 mg/L	NH ₃ -N	11 mg/L		
	Phenolic Compounds	01 mg/L	Phenolic Compounds	01 mg/L				Phenolic Compounds	1.87 mg/L	Phenolic Compounds	0.90 mg/L		

M/s. CETP of Kejriwal Integrated Textile Park Ltd – KITPL

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.25	pH	6.5-8.5	pH	6.5-8.5	Average value of June- 2020 (16/06/2020)	0.1	Nil	pH	-	pH	7.34	-	Storage – 2 MT
	COD	<500 mg/L	COD	<20 mg/L				COD	-	COD	22 mg/L		
	BOD	<200 mg/L	BOD	<5 mg/L				BOD	-	BOD	4 mg/L		
	SS	<150 mg/L	SS	<5 mg/L				SS	-	SS	6 mg/L		
	NH ₃ -N	-	NH ₃ -N	-				NH ₃ -N	-	NH ₃ -N	1.12		
	Phenolic Compounds	-	Phenolic Compounds	-				Phenolic Compounds	-	Phenolic Compounds	0.41 mg/L		

M/s. Gujarat Eco Textile Park Pvt Ltd, Palsana, Surat

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
60	pH	6.5-8.5	pH	6.5 to 8.5	Average value of June- 2020 (16/06/2020)	29	Nil	pH	7.38	pH	7.15	pH, Flow Meter, COD Meter including TOC	Storage – 100 MT
	COD	1000 mg/L	COD	250 mg/L				COD	984 mg/L	COD	214 mg/L		
	BOD	400 mg/L	BOD	100 mg/L				BOD	156 mg/L	BOD	23 mg/L		
	SS	300 mg/L	SS	<60 mg/L				SS	374 mg/L	SS	90 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	39.2 mg/L	NH ₃ -N	12.9 mg/L		
	Phenolic Compounds	-	Phenolic Compounds	1 mg/L				Phenolic Compounds	1.41 mg/L	Phenolic Compounds	0.78 mg/L		

M/s. Fairdeal Textile Parks Pvt. Ltd, Kosamaba, Surat

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
2.25	pH	6.5 -7.5	pH	6.5 to 8.5	No sampling done for the month of June-2020	1.39	Nil	pH	-	pH	-	pH, Flow Meter	----
	COD	500 mg/L	COD	100 mg/L				COD	-	COD	-		
	BOD	200 mg/L	BOD	30 mg/L				BOD	-	BOD	-		
	SS	100 mg/L	SS	<60 mg/L				SS	-	SS	-		
	NH ₃ -N	-	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	-		
	Phenolic Compounds	-	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	-		

M/s. New Palsana Industrial Co. Op. Society Ltd., Palsana, Surat

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
45	pH	6.5-8.5	pH	6.5-8.5	Average value of June- 2020 (16/06/2020)	25	Nil	pH	7.14	pH	7.18	pH, Flow meter, COD, BOD, TSS	Storage -10 MT
	COD	1000 mg/L	COD	250 mg/L				COD	746 mg/L	COD	190 mg/L		
	BOD	400 mg/L	BOD	30 mg/L				BOD	133 mg/L	BOD	20 mg/L		
	SS	300 mg/L	SS	<60 mg/L				SS	82 mg/L	SS	52 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	29.1 mg/L	NH ₃ -N	14 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	1.47 mg/L	Phenolic Compounds	0.7 mg/L		

Vapi Green Enviro Ltd (VGEL,Vapi) (Old Name-Vapi Waste & Effluent Management Co.Ltd)

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
55	pH	6.5-8.5	0.	6.5-8.5	Average value of June- 2020 (03/06/2020, 22/06/2020, 29/06/2020)	54	Nil	pH	7.8	pH	7.6	pH, Flow Meter, TOC & DO Meter	Storage - 2500 MT
	COD	1500 mg/L	COD	250 mg/L				COD	1084 mg/L	COD	272 mg/L		
	BOD	500 mg/L	BOD	30 mg/L				BOD	293 mg/L	BOD	258 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	244 mg/L	SS	77 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	48 mg/L	NH ₃ -N	42 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	3.71 mg/L	Phenolic Compounds	0.58 mg/L		

M/s. Sarigam Clean Initiative (Old Name-Gujarat Industrial Development Corporation), Sarigam

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
12.5	pH	6.5-8.5	pH	6.5-8.5	Average value of June- 2020 (12/06/2020)	9	Nil	pH	7.63	pH	7.97	Flow Meter, TOC meter	Storage - 60 MT
	COD	1000 mg/L	COD	250 mg/L				COD	376 mg/L	COD	243 mg/L		
	BOD (3 days at 27°C)	400 mg/L	BOD (3 days at 27°C)	100 mg/L				BOD (3 days at 27°C)	93 mg/L	BOD (3 days at 27°C)	27 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	124 mg/L	SS	32 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	66 mg/L	NH ₃ -N	55 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	1.44 mg/L	Phenolic Compounds	0.3 mg/L		

M/s. Veraval Industries Association, Veraval, Junagadh

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
5	pH	5.5 to 9	pH	6 to 9	No sampling done for the month of June-2020	5	Nil	pH	-	pH	-	-	-
	COD	3500 mg/L	COD	250 mg/L				COD	-	COD	-		
	BOD	1000 mg/L	BOD	100 mg/L				BOD	-	BOD	-		
	SS	200 mg/L	SS	100 mg/L				SS	-	SS	-		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	-		
	Phenol	-	Phenol	-				Phenolic Compounds	-	Phenolic Compounds	-		

M/s. Bhatgam Washing Ghat Suddhikaran Yojana Pvt. Ltd., Bhatgam,Rajkot

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
30	pH	10.5-12	pH	6.5-9	No sampling done for the month of June-2020	10	Nil	pH	-	pH	-	pH, Flow meter, SS, Color, MLSS, COD	-
	COD	1000 mg/L	COD	100 mg/L				COD	-	COD	-		
	BOD	350 mg/L	BOD	30 mg/L				BOD	-	BOD	-		
	SS	2000 mg/L	SS	100 mg/L				SS	-	SS	-		
	NH ₃ -N	75 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	-		
	Phenolic Compounds	5 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	-		

M/s. Jetpur Dyeing & Printing Association, Jetpur, Rajkot

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
10.00	pH	10.5-12.0	pH	6.5-9	Average value of June- 2020 (09/06/2020)	7.00	Nil	pH	9.24	pH	7.71	pH, Flow meter	Storage - 130 MT
	COD	1000 mg/L	COD	250 mg/L				COD	632 mg/L	COD	122 mg/L		
	BOD	350 mg/L	BOD	100 mg/L				BOD	205 mg/L	BOD	39 mg/L		
	SS	2000 mg/L	SS	100 mg/L				SS	252 mg/L	SS	1.2 mg/L		
	NH ₃ -N	75 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	22.56mg/L	NH ₃ -N	3.34 mg/L		
	Phenolic Compounds	5 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	-		

M/s. Shri Dhareshwar GIDC Vistar Association, Dhareshwar, Rajkot

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.09	pH	10.5-12	pH	6.5 to 9	Average value of June- 2020 (24/06/2020)	0.09	Nil	pH	6.66	pH	6.82	pH, Flow Meter	Storage - 9 MT
	COD	1000 mg/L	COD	100 mg/L				COD	914 mg/L	COD	210 mg/L		
	BOD	350 mg/L	BOD	30 mg/L				BOD	271 mg/L	BOD	62 mg/L		
	SS	2000 mg/L	SS	100 mg/L				SS	304 mg/L	SS	36 mg/L		
	NH ₃ -N	75 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	68.32 mg/L	NH ₃ -N	12.6 mg/L		
	Phenolic Compounds	5 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	-		

M/s. Jay Khodiyar Enviro-Technologies Pvt. Ltd., Rajkot

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.009	pH	Up to 5	pH	6.5 to 8.5	No sampling done for the month of June-2020	0.013	Nil	pH	-	pH	-	-	-
	COD	250 mg/L	COD	100 mg/L				COD	-	COD	-		
	BOD	100 mg/L	BOD	30 mg/L				BOD	-	BOD	-		
	SS	250 mg/L	SS	100 mg/L				SS	-	SS	-		
	NH ₃ -N	-	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	-		
	Phenolic Compounds	-	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	-		

M/s. Kalol GIDC Industries Association, Kadi, Gandhinagar

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.04	pH	6.5 to 8.5	pH	6.5 to 8.5	Average value of June- 2020 (16/06/2020)	0.35	Nil	pH	-	pH	7.75	-	Disposal – 10 MT
	COD	2000 mg/L	COD	250 mg/L				COD	-	COD	170 mg/L		
	BOD	700 mg/L	BOD	100 mg/L				BOD	-	BOD	48 mg/L		
	SS	-	SS	100 mg/L				SS	-	SS	52 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	5.5 mg/L		
	Phenolic Compounds	-	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	BDL		

M/s. MPSEZ Utilities (P) Limited, Mundra, Kutch

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
2.5	pH	6.5-8.5	pH	6.5-8.5	Average value of June- 2020 (02/06/2020)	0.15	Nil	pH	7.18	pH	7.06	pH, COD, BOD, TSS, Ammonical Nitrogen	-
	COD	2000 mg/L	COD	250 mg/L				COD	239 mg/L	COD	61 mg/L		
	BOD (3 days at 27° C)	1000 mg/L	BOD(3 days at 27° C)	100 mg/L				BOD(3 days at 27° C)	74 mg/L	BOD(3 days at 27° C)	18 mg/L		
	SS	800 mg/L	SS	100 mg/L				SS	148 mg/L	SS	36 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	35.8 mg/L	NH ₃ -N	56.5 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.2 mg/L	Phenolic Compounds	0.0 mg/L		