

**M/s. The Green Environment Services Co. Op. Society Ltd, Vatva, Ahmedabad**

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
16	pH	6.5-8.5	pH	6.5-8.5	Average value of Dec - 2019	23	Nil	pH	7.55	pH	7.27	pH, Flow Meter, TOC, COD, BOD, TSS	-
	COD	2000 mg/L	COD	250 mg/L				COD	1180 mg/L	COD	367 mg/L		
	BOD	700 mg/L	BOD	30 mg/L				BOD	303 mg/L	BOD	41 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	220 mg/L	SS	56 mg/L		
	NH <sub>3</sub> -N	50 mg/L	NH <sub>3</sub> -N	50 mg/L				NH <sub>3</sub> -N	40 mg/L	NH <sub>3</sub> -N	13 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.86 mg/L	Phenolic Compounds	0.47 mg/L		

**M/s. Odhav Enviro Project Ltd., Odhav, Ahmedabad**

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.2	pH	6.5-8.5	pH	6.5-8.5	Average value of Dec - 2019	1.1	Nil	pH	7.19	pH	7.04	Flow meter at inlet & outlet, COD, pH, TSS, BOD	-
	COD	2000 mg/L	COD	250 mg/L				COD	615 mg/L	COD	362 mg/L		
	BOD	700 mg/L	BOD	30 mg/L				BOD	159 mg/L	BOD	59 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	120 mg/L	SS	58 mg/L		
	NH <sub>3</sub> -N	50 mg/L	NH <sub>3</sub> -N	50 mg/L				NH <sub>3</sub> -N	24 mg/L	NH <sub>3</sub> -N	16 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.44 mg/L	Phenolic Compounds	0.032 mg/L		

**M/s. Gujarat Vepari Maha Mandal Sahkari Udhdyogik Vasahat Ltd, Ahmedabad**

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.45	pH	6.5-8.5	pH	6.5-8.5	Average value of Dec - 2019	0.7	Nil	pH	6.65	pH	7.33	Flow Meter	Storage – 500 MT
	COD	2000 mg/L	COD	250 mg/L				COD	414 mg/L	COD	202 mg/L		
	BOD	700 mg/L	BOD	30 mg/L				BOD	133 mg/L	BOD	43 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	252 mg/L	SS	22 mg/L		
	NH <sub>3</sub> -N	50 mg/L	NH <sub>3</sub> -N	50 mg/L				NH <sub>3</sub> -N	145 mg/L	NH <sub>3</sub> -N	116 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.45 mg/L	Phenolic Compounds	0.46 mg/L		

**M/s. Odhav Green Enviro Project Association, Odhav, Ahmedabad**

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.00	pH	6.5-8.5	pH	6.5-8.5	Average value of Dec - 2019	0.8	Nil	pH	7.57	pH	7.70	-	-
	COD	750 mg/L	COD	250 mg/L				COD	833 mg/L	COD	840 mg/L		
	BOD	250 mg/L	BOD	30 mg/L				BOD	364 mg/L	BOD	351 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	275 mg/L	SS	960 mg/L		
	NH <sub>3</sub> -N	50 mg/L	NH <sub>3</sub> -N	50 mg/L				NH <sub>3</sub> -N	55 mg/L	NH <sub>3</sub> -N	92 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.39 mg/L	Phenolic Compounds	0.2 mg/L		

**M/s. Naroda Enviro Project Ltd., Naroda, Ahmedabad**

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
3.00	pH	6.5-8.5	pH	6.5-8.5	Average value of Dec - 2019	4.5	Nil	pH	8.04	pH	8.27	-	-
	COD	2000 mg/L	COD	250 mg/L				COD	3966 mg/L	COD	706 mg/L		
	BOD	700 mg/L	BOD	30 mg/L				BOD	1020 mg/L	BOD	157 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	406 mg/L	SS	90 mg/L		
	NH <sub>3</sub> -N	50 mg/L	NH <sub>3</sub> -N	50 mg/L				NH <sub>3</sub> -N	14 mg/L	NH <sub>3</sub> -N	8 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	3.95 mg/L	Phenolic Compounds	0.22 mg/L		

**M/s. Narol Dyestuff Enviro Society., Narol, Ahmedabad**

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.040	pH	6.5-8.5	pH	6.5-8.5	Average value of Dec - 2019	0.020	Nil	pH	8.17	pH	8.10	-	-
	COD	1500 mg/L	COD	250 mg/L				COD	1586 mg/L	COD	140 mg/L		
	BOD	500 mg/L	BOD	30 mg/L				BOD	410 mg/L	BOD	19 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	150 mg/L	SS	30 mg/L		
	NH <sub>3</sub> -N	50 mg/L	NH <sub>3</sub> -N	50 mg/L				NH <sub>3</sub> -N	92 mg/L	NH <sub>3</sub> -N	9 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.70 mg/L	Phenolic Compounds	0.48 mg/L		

**M/s. Narol Textile Infrastructure & Enviro Management, (ATPA Swarnim Gujarat Enviro P. Ltd), Ahmedabad**

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
100	pH	6.5-8.5	pH	6.5-8.5	Average value of Dec - 2019	100	Nil	pH	7.23	pH	8.01	-	-
	COD	1200 mg/L	COD	250 mg/L				COD	953 mg/L	COD	232 mg/L		
	BOD	500 mg/L	BOD	30 mg/L				BOD	388 mg/L	BOD	72 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	450 mg/L	SS	84 mg/L		
	NH <sub>3</sub> -N	50 mg/L	NH <sub>3</sub> -N	50 mg/L				NH <sub>3</sub> -N	56 mg/L	NH <sub>3</sub> -N	42 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.34 mg/L	Phenolic Compounds	BDL		

**M/s. Tata Motors Ltd Vendors Park, Sanand, Ahmedabad**

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.5	pH	6-10.5	pH	6.5-8.5	No visit in the month of Dec - 2019	0.10	Nil	pH	-	pH	-	pH, DO meter, TOC meter, Flow meter	-
	COD	900 mg/L	COD	100 mg/L				COD	-	COD	-		
	BOD	250 mg/L	BOD	30 mg/L				BOD	-	BOD	-		
	SS	100 mg/L	SS	100 mg/L				SS	-	SS	-		
	NH <sub>3</sub> -N	50 mg/L	NH <sub>3</sub> -N	50 mg/L				NH <sub>3</sub> -N	-	NH <sub>3</sub> -N	-		
	Phenolic Compounds	Not Applicable	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	-		



**M/s. Zydus Infrastructure Pvt. Ltd, Changodar, Ahmedabad**

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
3	pH	6- 8	pH	No outlet norms are prescribed as it is a ZLD based CETP by the means of MEE	Average value of Dec - 2019	1.8	Nil	pH	7.42	pH	6.59	pH, TOC meter	Storage – 25 MT
	COD	850 mg/L	COD					COD	685 mg/L	COD	8 mg/L		
	BOD (3 days at 27°C)	400 mg/L	BOD (3 days at 27°C)					BOD (3 days at 27°C)	355 mg/L	BOD (3 days at 27°C)	2 mg/L		
	SS	300 mg/L	SS					SS	54 mg/L	SS	6 mg/L		
	NH <sub>3</sub> -N	<10 mg/L	NH <sub>3</sub> -N					NH <sub>3</sub> -N	42 mg/L	NH <sub>3</sub> -N	3 mg/L		
	Phenolic Compounds	<3 mg/L	Phenolic Compounds					Phenolic Compounds	0.948 mg/L	Phenolic Compounds	0.079 mg/L		

**M/s. Bavla Eco Project Ltd., Bavla, Ahmedabad**

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.00	pH	5.5-8.5	pH	6.5-8.5	Average value of Dec - 2019	0.3	Nil	pH	-	pH	7.67	-	-
	COD	4500 mg/L	COD	250 mg/L				COD	-	COD	168 mg/L		
	BOD	1500 mg/L	BOD	100 mg/L				BOD	-	BOD	58 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	-	SS	46 mg/L		
	NH <sub>3</sub> -N	-	NH <sub>3</sub> -N	50 mg/L				NH <sub>3</sub> -N	-	NH <sub>3</sub> -N	13 mg/L		
	Phenolic Compounds	-	Phenolic Compounds	Not Applicable				Phenolic Compounds	-	Phenolic Compounds	-		

**M/s. Vinayak Jal Sudhikaran Sahakari Mandali Ltd, Bavla, Ahmedabad**

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.50	pH	5.5-8.5	pH	6.5-8.5	Average value of Dec - 2019	4	Nil	pH	-	pH	7.87	-	-
	COD	4500 mg/L	COD	250 mg/L				COD	-	COD	181 mg/L		
	BOD	1500 mg/L	BOD	100 mg/L				BOD	-	BOD	60 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	-	SS	36 mg/L		
	NH <sub>3</sub> -N	-	NH <sub>3</sub> -N	50 mg/L				NH <sub>3</sub> -N	-	NH <sub>3</sub> -N	13 mg/L		
	Phenolic Compounds	-	Phenolic Compounds	Not Applicable				Phenolic Compounds	-	Phenolic Compounds	-		

**M/s. Nandesari Industrial Association (CETP), GIDC-Nandesari, Vadodara**

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
12	pH	5 to 9	pH	6.5 to 8.5	Average value of Dec - 2019	6.4	Nil	pH	-	pH	6.94	pH, COD, BOD, TSS, NH <sub>3</sub> -N, Color, TOC, Temperature	-
	COD	1500 mg/L	COD	250 mg/L				COD	-	COD	225 mg/L		
	BOD	500 mg/L	BOD	100 mg/L				BOD	-	BOD	34 mg/L		
	SS	600 mg/L	SS	100 mg/L				SS	-	SS	60 mg/L		
	NH <sub>3</sub> -N	50 mg/L	NH <sub>3</sub> -N	50 mg/L				NH <sub>3</sub> -N	-	NH <sub>3</sub> -N	0 mg/L		
	Phenolic Compounds	5 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	0.38 mg/L		

**M/s. Enviro Infrastructure Co. Ltd., Umraya (Padra), Vadodara**

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
4.50	pH	5 to 9	pH	6.5 to 8.5	No visit in the month of Dec - 2019	2.2	Nil	pH	-	pH	-	pH, Flow Meter, TOC, TSS, Color, NH <sub>3</sub> -N	-
	COD	2000 mg/L	COD	250 mg/L				COD	-	COD	-		
	BOD	500 mg/L	BOD	100 mg/L				BOD	-	BOD	-		
	SS	600 mg/L	SS	100 mg/L				SS	-	SS	-		
	NH <sub>3</sub> -N	50 mg/L	NH <sub>3</sub> -N	50 mg/L				NH <sub>3</sub> -N	-	NH <sub>3</sub> -N	-		
	Phenolic Compounds	5 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	-		

**M/s. Enviro Technology Ltd., GIDC-Ankleshwar, Bharuch**

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
3.5	pH	6.5-8.5	pH	6.5-8.5	Average value of Dec - 2019	2.31	Nil	pH	8.42	pH	7.25	pH, Flow, COD, BOD, TSS, TOC	-
	COD	11000 mg/L	COD	1000 mg/L				COD	3207 mg/L	COD	343 mg/L		
	BOD (3 days at 27°C)	3600 mg/L	BOD (3 days at 27°C)	200 mg/L				BOD (3 days at 27°C)	452 mg/L	BOD (3 days at 27°C)	16 mg/L		
	SS	-	SS	150 mg/L				SS	426 mg/L	SS	66 mg/L		
	NH <sub>3</sub> -N	100 mg/L	NH <sub>3</sub> -N	50 mg/L				NH <sub>3</sub> -N	58 mg/L	NH <sub>3</sub> -N	39 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	5 mg/L				Phenolic Compounds	15.04 mg/L	Phenolic Compounds	0.32 mg/L		

**M/s. Narmada Clean Tech Ltd., (Bharuch Eco-Aqua Infrastructure Ltd.,) (BEAIL), Ankleshwar**

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
40	pH	6.5-8.5	pH	6-9	Average value of Dec - 2019	31.92	Nil	pH	8.02	pH	7.55	pH, Flow Meter, TOC, TSS	-
	COD	1000 mg/L	COD	500 mg/L				COD	1189 mg/L	COD	527 mg/L		
	BOD	200 mg/L	BOD	100 mg/L				BOD	222 mg/L	BOD	18 mg/L		
	SS	150 mg/L	SS	100 mg/L				SS	518 mg/L	SS	22 mg/L		
	NH <sub>3</sub> -N	50 mg/L	NH <sub>3</sub> -N	50 mg/L				NH <sub>3</sub> -N	80 mg/L	NH <sub>3</sub> -N	38 mg/L		
	Phenolic Compounds	5 mg/L	Phenolic Compounds	5 mg/L				Phenolic Compounds	2.28 mg/L	Phenolic Compounds	0.55 mg/L		

**M/s. Panoli Enviro Technology Ltd., GIDC-Panoil, Bharuch**

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.02	pH	6.5-8.5	pH	6.5-8.5	Average value of Dec - 2019	0.45	Nil	pH	6.94	pH	6.98	pH, Flow Meter, TOC	Storage -150 MT
	COD	10000 mg/L	COD	1000 mg/L				COD	3249 mg/L	COD	713 mg/L		
	BOD	3000 mg/L	BOD	200 mg/L				BOD	472 mg/L	BOD	22 mg/L		
	SS	-	SS	150 mg/L				SS	204 mg/L	SS	70 mg/L		
	NH <sub>3</sub> -N	50 mg/L	NH <sub>3</sub> -N	50 mg/L				NH <sub>3</sub> -N	88 mg/L	NH <sub>3</sub> -N	46 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	1.20 mg/L	Phenolic Compounds	0.2 mg/L		



**M/s. Globe Enviro Care Ltd. [chemical units], GIDC-Sachin, Surat**

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1	pH	6.5 to 8.5	pH	6.5 to 8.5	Average value of Dec - 2019	0.236	Nil	pH	6.70	pH	7.35	pH, TOC, TSS, Flow meter	-
	COD	3000 mg/L	COD	250 mg/L				COD	2068 mg/L	COD	233 mg/L		
	BOD	1200 mg/L	BOD	30 mg/L				BOD	413 mg/L	BOD	25 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	364 mg/L	SS	56 mg/L		
	NH <sub>3</sub> -N	50 mg/L	NH <sub>3</sub> -N	50 mg/L				NH <sub>3</sub> -N	24 mg/L	NH <sub>3</sub> -N	19 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	1.09 mg/L	Phenolic Compounds	0.71 mg/L		

**M/s. Sachin Infra Environment Ltd., GIDC-Sachin, Surat**

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
50	pH	Not Furnished	pH	6.5-8.5	Average value of Dec - 2019	32.83	Nil	pH	7.09	pH	7.29	pH, Flow Meter, TOC	Storage – 800 MT
	COD	1000 mg/L	COD	250 mg/L				COD	931 mg/L	COD	240 mg/L		
	BOD	400 mg/L	BOD	30 mg/L				BOD	202 mg/L	BOD	23 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	206 mg/L	SS	80 mg/L		
	NH <sub>3</sub> -N	50 mg/L	NH <sub>3</sub> -N	50 mg/L				NH <sub>3</sub> -N	16 mg/L	NH <sub>3</sub> -N	9 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	01 mg/L				Phenolic Compounds	1.20 mg/L	Phenolic Compounds	0.49 mg/L		

**M/s. Palsana Enviro Protection Ltd., (PEPL), Kadodara, Surat**

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
150	pH	6.5 to 8.5	pH	6.5 to 8.5	Average value of Dec - 2019	98	Nil	pH	6.90	pH	7.60	pH, Flow Meter, COD, BOD, TSS	Storage – 658 MT
	COD	1000 mg/L	COD	250 mg/L				COD	911 mg/L	COD	231 mg/L		
	BOD	400 mg/L	BOD	30 mg/L				BOD	191 mg/L	BOD	26 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	290 mg/L	SS	90 mg/L		
	NH <sub>3</sub> -N	50 mg/L	NH <sub>3</sub> -N	50 mg/L				NH <sub>3</sub> -N	19 mg/L	NH <sub>3</sub> -N	14 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	1.14 mg/L	Phenolic Compounds	0.47 mg/L		

**M/s. Pandesara Infrastructure Ltd., GIDC- Pandesara, Surat**

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
100	pH	6.5-8.5	pH	6.5-8.5	Average value of Dec - 2019	81.5	Nil	pH	6.93	pH	7.40	pH, Flow Meter, TOC, COD	Storage – 2500 MT
	COD	1000 mg/L	COD	250 mg/L				COD	951 mg/L	COD	190 mg/L		
	BOD	400 mg/L	BOD	30 mg/L				BOD	209 mg/L	BOD	21 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	222 mg/L	SS	78 mg/L		
	NH <sub>3</sub> -N	50 mg/L	NH <sub>3</sub> -N	50 mg/L				NH <sub>3</sub> -N	21 mg/L	NH <sub>3</sub> -N	11 mg/L		
	Phenolic Compounds	01 mg/L	Phenolic Compounds	01 mg/L				Phenolic Compounds	1.39 mg/L	Phenolic Compounds	0.66 mg/L		

**M/s. CETP of Kejriwal Integrated Textile Park Ltd – KITPL**

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.84	pH	6.5-8.5	pH	6.5-8.5	Average value of Dec - 2019	0.5	Nil	pH	-	pH	7.11	-	-
	COD	<500 mg/L	COD	<20 mg/L				COD	-	COD	37 mg/L		
	BOD	<200 mg/L	BOD	<5 mg/L				BOD	-	BOD	4 mg/L		
	SS	<150 mg/L	SS	<5 mg/L				SS	-	SS	6 mg/L		
	NH <sub>3</sub> -N	-	NH <sub>3</sub> -N	-				NH <sub>3</sub> -N	-	NH <sub>3</sub> -N	BDL		
	Phenolic Compounds	-	Phenolic Compounds	-				Phenolic Compounds	-	Phenolic Compounds	0.36		

**M/s. Gujarat Eco Textile Park Pvt Ltd, Palsana, Surat**

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
60	pH	6.5-8.5	pH	6.5 to 8.5	Average value of Dec - 2019	29	Nil	pH	6.93	pH	7.36	pH, Flow Meter, COD Meter including TOC	Storage - 400 MT
	COD	1000 mg/L	COD	250 mg/L				COD	1122 mg/L	COD	224 mg/L		
	BOD	400 mg/L	BOD	100 mg/L				BOD	204 mg/L	BOD	24 mg/L		
	SS	300 mg/L	SS	<60 mg/L				SS	292 mg/L	SS	48 mg/L		
	NH <sub>3</sub> -N	50 mg/L	NH <sub>3</sub> -N	50 mg/L				NH <sub>3</sub> -N	18 mg/L	NH <sub>3</sub> -N	15 mg/L		
	Phenolic Compounds	-	Phenolic Compounds	1 mg/L				Phenolic Compounds	1.14 mg/L	Phenolic Compounds	0.47 mg/L		

**M/s. Fairdeal Textile Parks Pvt. Ltd, Kosamaba, Surat**

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
3.75	pH	-	pH	6.5 to 8.5	No visit in the month of Dec - 2019	1.39	Nil	pH	-	pH	-	pH, Flow Meter	-
	COD	500 mg/L	COD	100 mg/L				COD	-	COD	-		
	BOD	200 mg/L	BOD	30 mg/L				BOD	-	BOD	-		
	SS	-	SS	<60 mg/L				SS	-	SS	-		
	NH <sub>3</sub> -N	-	NH <sub>3</sub> -N	50 mg/L				NH <sub>3</sub> -N	-	NH <sub>3</sub> -N	-		
	Phenolic Compounds	-	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	-		

**M/s. New Palsana Industrial Co. Op. Society Ltd., Palsana, Surat**

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
45	pH	6.5-8.5	pH	6.5-8.5	Average value of Dec - 2019	25	Nil	pH	7.37	pH	7.16	pH, Flow meter, COD, BOD, TSS	Storage – 1100 MT Disposal – 29 MT
	COD	1000 mg/L	COD	250 mg/L				COD	920 mg/L	COD	222 mg/L		
	BOD	400 mg/L	BOD	30 mg/L				BOD	192 mg/L	BOD	22 mg/L		
	SS	300 mg/L	SS	<60 mg/L				SS	388 mg/L	SS	40 mg/L		
	NH <sub>3</sub> -N	50 mg/L	NH <sub>3</sub> -N	50 mg/L				NH <sub>3</sub> -N	23 mg/L	NH <sub>3</sub> -N	16 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	1.18 mg/L	Phenolic Compounds	0.49 mg/L		



**M/s. Vapi Waste & Effluent Management Co. Ltd, Vapi**

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
55	pH	6.5-8.5	0.	6.5-8.5	Average value of Dec - 2019	54	Nil	pH	7.60	pH	7.32	pH, Flow Meter, TOC & DO Meter	-
	COD	1000 mg/L	COD	250 mg/L				COD	1120 mg/L	COD	242 mg/L		
	BOD	400 mg/L	BOD	30 mg/L				BOD	289 mg/L	BOD	26 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	114 mg/L	SS	77 mg/L		
	NH <sub>3</sub> -N	50 mg/L	NH <sub>3</sub> -N	50 mg/L				NH <sub>3</sub> -N	46 mg/L	NH <sub>3</sub> -N	41 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	2.286 mg/L	Phenolic Compounds	0.526 mg/L		

**M/s. Sarigam Clean Initiative (Old Name-Gujarat Industrial Development Corporation), Sarigam**

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
12.5	pH	6.5-8.5	pH	6.5-8.5	Average value of Dec - 2019	9	Nil	pH	7.43	pH	7.39	Flow Meter, TOC meter	Storage – 350 MT
	COD	1000 mg/L	COD	250 mg/L				COD	354 mg/L	COD	112 mg/L		
	BOD (3 days at 27°C)	400 mg/L	BOD (3 days at 27°C)	100 mg/L				BOD (3 days at 27°C)	92 mg/L	BOD (3 days at 27°C)	25 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	34 mg/L	SS	16 mg/L		
	NH <sub>3</sub> -N	50 mg/L	NH <sub>3</sub> -N	50 mg/L				NH <sub>3</sub> -N	25 mg/L	NH <sub>3</sub> -N	11 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0 mg/L	Phenolic Compounds	0.10 mg/L		

**M/s. Veraval Industries Association, Veraval, Junagadh**

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
5	pH	5.5 to 9	pH	6 to 9	No visit in the month of Dec - 2019	5	Nil	pH	-	pH	-	-	-
	COD	3500 mg/L	COD	250 mg/L				COD	-	COD	-		
	BOD	1000 mg/L	BOD	100 mg/L				BOD	-	BOD	-		
	SS	200 mg/L	SS	100 mg/L				SS	-	SS	-		
	NH <sub>3</sub> -N	50 mg/L	NH <sub>3</sub> -N	50 mg/L				NH <sub>3</sub> -N	-	NH <sub>3</sub> -N	-		
	Phenol	-	Phenol	-				Phenolic Compounds	-	Phenolic Compounds	-		

**M/s. Bhatgam Washing Ghat Suddhikaran Yojana Pvt. Ltd., Bhatgam, Rajkot**

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
30	pH	10.5-12	pH	6.5-9	No visit in the month of Dec - 2019	10	Nil	pH	-	pH	-	pH, Flow meter, SS, Color, MLSS, COD	-
	COD	1000 mg/L	COD	100 mg/L				COD	-	COD	-		
	BOD	350 mg/L	BOD	30 mg/L				BOD	-	BOD	-		
	SS	2000 mg/L	SS	100 mg/L				SS	-	SS	-		
	NH <sub>3</sub> -N	75 mg/L	NH <sub>3</sub> -N	50 mg/L				NH <sub>3</sub> -N	-	NH <sub>3</sub> -N	-		
	Phenolic Compounds	5 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	-		

**M/s. Jetpur Dyeing & Printing Association, Jetpur, Rajkot**

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
10.00	pH	10.5-12.0	pH	6.5-9	Average value of Dec - 2019	7.00	Nil	pH	6.84	pH	7.73	pH, Flow meter	-
	COD	1000 mg/L	COD	250 mg/L				COD	1731 mg/L	COD	135 mg/L		
	BOD	350 mg/L	BOD	100 mg/L				BOD	536 mg/L	BOD	35 mg/L		
	SS	2000 mg/L	SS	100 mg/L				SS	306 mg/L	SS	76 mg/L		
	NH <sub>3</sub> -N	75 mg/L	NH <sub>3</sub> -N	50 mg/L				NH <sub>3</sub> -N	22 mg/L	NH <sub>3</sub> -N	7 mg/L		
	Phenolic Compounds	5 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	mg/L		

**M/s. Shri Dhareshwar GIDC Vistar Association, Dhareshwar, Rajkot**

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.09	pH	10.5-12	pH	6.5 to 9	Average value of Dec - 2019	0.09	Nil	pH	7.05	pH	6.96	pH, Flow Meter	Storage – 12.5 MT
	COD	1000 mg/L	COD	100 mg/L				COD	780 mg/L	COD	524 mg/L		
	BOD	350 mg/L	BOD	30 mg/L				BOD	218 mg/L	BOD	160 mg/L		
	SS	2000 mg/L	SS	100 mg/L				SS	228 mg/L	SS	86 mg/L		
	NH <sub>3</sub> -N	75 mg/L	NH <sub>3</sub> -N	50 mg/L				NH <sub>3</sub> -N	7 mg/L	NH <sub>3</sub> -N	47 mg/L		
	Phenolic Compounds	5 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	-		

**M/s. Jay Khodiyar Enviro-Technologies Pvt. Ltd., Rajkot**

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.025	pH	Up to 5	pH	6.5 to 8.5	Average value of Dec - 2019	0.013	Nil	pH	3.38	pH	7.89	-	Storage - 6 MT
	COD	250 mg/L	COD	100 mg/L				COD	16 mg/L	COD	6 mg/L		
	BOD	100 mg/L	BOD	30 mg/L				BOD	6 mg/L	BOD	2 mg/L		
	SS	250 mg/L	SS	100 mg/L				SS	106 mg/L	SS	40 mg/L		
	NH <sub>3</sub> -N	-	NH <sub>3</sub> -N	50 mg/L				NH <sub>3</sub> -N	6 mg/L	NH <sub>3</sub> -N	1 mg/L		
	Phenolic Compounds	-	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	-		

**M/s. Kalol GIDC Industries Association, Kadi, Gandhinagar**

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.35	pH	6.5 to 8.5	pH	6.5 to 8.5	Average value of Dec - 2019	0.35	Nil	pH	-	pH	7.69	-	Storage – 50 MT Disposal – 56 MT
	COD	2000 mg/L	COD	250 mg/L				COD	-	COD	120 mg/L		
	BOD	700 mg/L	BOD	100 mg/L				BOD	-	BOD	22 mg/L		
	SS	-	SS	100 mg/L				SS	-	SS	56 mg/L		
	NH <sub>3</sub> -N	50 mg/L	NH <sub>3</sub> -N	50 mg/L				NH <sub>3</sub> -N	-	NH <sub>3</sub> -N	14 mg/L		
	Phenolic Compounds	-	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	-		



**M/s. MPSEZ Utilities (P) Limited, Mundra, Kutch**

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
2.5	pH	6.5-8.5	pH	6.5-8.5	Average value of Dec - 2019	0.15	Nil	pH	7.41	pH	7.34	pH, COD, BOD, TSS, Ammonical Nitrogen	-
	COD	2000 mg/L	COD	250 mg/L				COD	525 mg/L	COD	58 mg/L		
	BOD (3 days at 27° C)	1000 mg/L	BOD(3 days at 27° C)	100 mg/L				BOD(3 days at 27° C)	220 mg/L	BOD(3 days at 27° C)	18 mg/L		
	SS	800 mg/L	SS	100 mg/L				SS	72 mg/L	SS	4 mg/L		
	NH <sub>3</sub> -N	50 mg/L	NH <sub>3</sub> -N	50 mg/L				NH <sub>3</sub> -N	85 mg/L	NH <sub>3</sub> -N	47 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.14 mg/L	Phenolic Compounds	0.23 mg/L		