

M/s. Sarigam Clean Initiative (Old Name-Gujarat Industrial Development Corporation), Sarigam

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
12.5	pH	6.5-8.5	pH	6.5-8.5	Average value of January - 2018	8.5	Nil	pH	7.00	pH	7.73	Flow Meter, TOC meter	Storage – 400 MT
	COD	1000 mg/L	COD	250 mg/L				COD	1375 mg/L	COD	290 mg/L		
	BOD (3 days at 27°C)	400 mg/L	BOD (3 days at 27°C)	100 mg/L				BOD (3 days at 27°C)	305 mg/L	BOD (3 days at 27°C)	70 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	140 mg/L	SS	132 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	74 mg/L	NH ₃ -N	29 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.55 mg/L	Phenolic Compounds	0.17 mg/L		

M/s. Vapi Waste & Effluent Management Co. Ltd, Vapi

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
55	pH	6.5-8.5	pH	6.5-8.5	Average value of January - 2018	55	Nil	pH	7.57	pH	7.54	pH, Flow Meter, TOC & DO Meter	Storage - 14000 MT
	COD	1000 mg/L	COD	250 mg/L				COD	1330 mg/L	COD	317 mg/L		
	BOD	400 mg/L	BOD	30 mg/L				BOD	327 mg/L	BOD	32 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	256 mg/L	SS	40 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	65 mg/L	NH ₃ -N	49 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	2.09 mg/L	Phenolic Compounds	0.64 mg/L		

M/s. Sachin Infra Environment Ltd., GIDC-Sachin, Surat

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
50	pH	Not Furnished	pH	6.5-8.5	Average value of January - 2018	40	Nil	pH	7.42	pH	7.81	pH, Flow Meter, TOC	Storage - 400 MT
	COD	1000 mg/L	COD	250 mg/L				COD	1475 mg/L	COD	280 mg/L		
	BOD	400 mg/L	BOD	30 mg/L				BOD	260 mg/L	BOD	27 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	212 mg/L	SS	174 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	47 mg/L	NH ₃ -N	21 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	01 mg/L				Phenolic Compounds	0.72 mg/L	Phenolic Compounds	0.37 mg/L		

M/s. Globe Enviro Care Ltd. [chemical units], GIDC-Sachin, Surat

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.50	pH	6.5 to 8.5	pH	6.5 to 8.5	Average value of January - 2018	0.35	Nil	pH	7.43	pH	7.61	pH, TOC, TSS, Flow meter	Storage – 10 MT
	COD	3000 mg/L	COD	250 mg/L				COD	1442 mg/L	COD	267 mg/L		
	BOD	1200 mg/L	BOD	30 mg/L				BOD	285 mg/L	BOD	28 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	295 mg/L	SS	73 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	45 mg/L	NH ₃ -N	23 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.64 mg/L	Phenolic Compounds	0.33 mg/L		

M/s. Pandesara Infrastructure Ltd., GIDC-Pandesara, Surat

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
100	pH	6.5-8.5	pH	6.5-8.5	Average value of January - 2018	88	Nil	pH	7.36	pH	7.52	pH, Flow Meter, TOC, COD	Storage – 100 MT Disposal – 700 MT
	COD	1000 mg/L	COD	250 mg/L				COD	1014 mg/L	COD	238 mg/L		
	BOD	400 mg/L	BOD	30 mg/L				BOD	295 mg/L	BOD	28 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	246 mg/L	SS	24 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	39 mg/L	NH ₃ -N	14 mg/L		
	Phenolic Compounds	01 mg/L	Phenolic Compounds	01 mg/L				Phenolic Compounds	0.54 mg/L	Phenolic Compounds	0.21 mg/L		

M/s. Palsana Enviro Protection Ltd., (PEPL), Kadodara, Surat

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
100	pH	6.5 to 8.5	pH	6.5 to 8.5	Average value of January - 2018	95	Nil	pH	7.53	pH	7.85	pH, Flow Meter, COD, BOD, TSS	Storage – 852 MT
	COD	1000 mg/L	COD	250 mg/L				COD	1412 mg/L	COD	212 mg/L		
	BOD	400 mg/L	BOD	30 mg/L				BOD	400 mg/L	BOD	27 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	296 mg/L	SS	58 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	40 mg/L	NH ₃ -N	20 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.69 mg/L	Phenolic Compounds	0.44 mg/L		

M/s. New Palsana Industrial Co. Op. Society Ltd., Palsana, Surat

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
45	pH	6.5-8.5	pH	6.5-8.5	Average value of January - 2018	22	Nil	pH	7.79	pH	8.08	pH, Flow meter, COD, BOD, TSS	Storage - 50 MT Disposal – 169 MT
	COD	1000 mg/L	COD	250 mg/L				COD	686 mg/L	COD	164 mg/L		
	BOD	400 mg/L	BOD	30 mg/L				BOD	125 mg/L	BOD	28 mg/L		
	SS	300 mg/L	SS	<60 mg/L				SS	78 mg/L	SS	14 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	40 mg/L	NH ₃ -N	12 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.66 mg/L	Phenolic Compounds	0.15 mg/L		

M/s. Gujarat Eco Textile Park Pvt Ltd, Palsana, Surat

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
60	pH	6.5-8.5	pH	6.5 to 8.5	Average value of January - 2018	35	Nil	pH	-	pH	8.10	pH, Flow Meter, COD Meter including TOC	Storage - 85 MT Disposal – 22 MT
	COD	1000 mg/L	COD	250 mg/L				COD	-	COD	170 mg/L		
	BOD	400 mg/L	BOD	100 mg/L				BOD	-	BOD	28 mg/L		
	SS	300 mg/L	SS	<60 mg/L				SS	-	SS	112 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	13 mg/L		
	Phenolic Compounds	-	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	0.30 mg/L		

M/s. Fairdeal Textile Parks Pvt. Ltd, Kosamaba, Surat

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
2.25	pH	-	pH	6.5 to 8.5	Average value of January - 2018	1.00	Nil	pH	7.20	pH	7.50	pH, Flow Meter	Storage – 2 MT Disposal – 5 MT
	COD	500 mg/L	COD	100 mg/L				COD	461 mg/L	COD	80 mg/L		
	BOD	200 mg/L	BOD	30 mg/L				BOD	105 mg/L	BOD	20 mg/L		
	SS	-	SS	<60 mg/L				SS	94 mg/L	SS	8 mg/L		
	NH ₃ -N	-	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	-		
	Phenolic Compounds	-	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.18 mg/L	Phenolic Compounds	0.12 mg/L		

M/s. Panoli Enviro Technology Ltd., GIDC-Panoil, Bharuch

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.00	pH	-	pH	5.5-8.5	Average value of January - 2018	0.35	Nil	pH	7.14	pH	7.73	pH, Flow Meter, TOC	Storage – 40 MT
	COD	10000 mg/L	COD	500 mg/L				COD	1778 mg/L	COD	703 mg/L		
	BOD	3500 mg/L	BOD	100 mg/L				BOD	355 mg/L	BOD	29 mg/L		
	SS	-	SS	100 mg/L				SS	326 mg/L	SS	212 mg/L		
	NH ₃ -N	100 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	73 mg/L	NH ₃ -N	38 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	1.02 mg/L	Phenolic Compounds	0.50 mg/L		

M/s. Enviro Technology Ltd., GIDC-Ankleshwar, Bharuch

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.80	pH	-	pH	5.5-8.5	Average value of January - 2018	1.10	Nil	pH	<1	pH	7.88	pH, Flow, COD, BOD, TSS, TOC	Storage - Nil
	COD	11000 mg/L	COD	1000 mg/L				COD	6589 mg/L	COD	784 mg/L		
	BOD (3 days at 27°C)	3600 mg/L	BOD (3 days at 27°C)	200 mg/L				BOD (3 days at 27°C)	527 mg/L	BOD (3 days at 27°C)	26 mg/L		
	SS	-	SS	100 mg/L				SS	-	SS	38 mg/L		
	NH ₃ -N	100 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	87 mg/L	NH ₃ -N	22 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	0.53 mg/L		

M/s. Narmada Clean Tech Ltd., (Bharuch Eco-Aqua Infrastructure Ltd.)(BEAIL), Ankleshwar

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
40	pH	6.5-8.5	pH	6-9	Average value of January - 2018	40	Nil	pH	7.60	pH	7.79	pH, Flow Meter, TOC, TSS	Storage – 250 MT
	COD	1000 mg/L	COD	500 mg/L				COD	2535 mg/L	COD	937 mg/L		
	BOD	200 mg/L	BOD	100 mg/L				BOD	757 mg/L	BOD	52 mg/L		
	SS	150 mg/L	SS	100 mg/L				SS	261 mg/L	SS	97 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	416 mg/L	NH ₃ -N	246 mg/L		
	Phenolic Compounds	5 mg/L	Phenolic Compounds	5 mg/L				Phenolic Compounds	1.87 mg/L	Phenolic Compounds	0.83 mg/L		

M/s. Nandesari Industrial Association (CETP), GIDC-Nandesari, Vadodara

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
6.80	pH	5 to 9	pH	6.5 to 8.5	Average value of January - 2018	4.80	Nil	pH	7.46	pH	6.76	pH, COD, BOD, TSS, NH ₃ -N, Color, TOC, Temperature	-
	COD	1500 mg/L	COD	250 mg/L				COD	1205 mg/L	COD	465 mg/L		
	BOD	500 mg/L	BOD	100 mg/L				BOD	242 mg/L	BOD	40 mg/L		
	SS	600 mg/L	SS	100 mg/L				SS	1668 mg/L	SS	126 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	235 mg/L	NH ₃ -N	2 mg/L		
	Phenolic Compounds	5 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.83 mg/L	Phenolic Compounds	0.40 mg/L		

M/s. Enviro Infrastructure Co. Ltd., Umraya(Padra), Vadodara

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
4.50	pH	5 to 9	pH	6.5 to 8.5	Average value of January - 2018	1.50	Nil	pH	7.18	pH	7.85	pH, Flow Meter, TOC, TSS, Color, NH ₃ -N	Disposal – 22 MT
	COD	2000 mg/L	COD	250 mg/L				COD	351 mg/L	COD	235 mg/L		
	BOD	500 mg/L	BOD	100 mg/L				BOD	103 mg/L	BOD	31 mg/L		
	SS	600 mg/L	SS	100 mg/L				SS	69 mg/L	SS	28 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	6 mg/L	NH ₃ -N	10 mg/L		
	Phenolic Compounds	5 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.21 mg/L	Phenolic Compounds	0.13 mg/L		

M/s. Naroda Enviro Project Ltd., Naroda, Ahmedabad

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
3.00	pH	6.5-8.5	pH	6.5-8.5	Average value of January - 2018	3.00	Nil	pH	7.57	pH	8.02	-	Storage – 3000 MT
	COD	2000 mg/L	COD	250 mg/L				COD	4902 mg/L	COD	1214 mg/L		
	BOD	700 mg/L	BOD	30 mg/L				BOD	648 mg/L	BOD	232 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	1116 mg/L	SS	194 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	176 mg/L	NH ₃ -N	40 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	9.50 mg/L	Phenolic Compounds	BDL		

M/s. The Green Environment Services Co. Op. Society Ltd, Vatva, Ahmedabad

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
16	pH	6.5-8.5	pH	6.5-8.5	Average value of January - 2018	20	Nil	pH	7.68	pH	7.36	pH, Flow Meter, TOC, COD, BOD, TSS	-
	COD	2000 mg/L	COD	250 mg/L				COD	1440 mg/L	COD	790 mg/L		
	BOD	700 mg/L	BOD	30 mg/L				BOD	279 mg/L	BOD	69 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	247 mg/L	SS	94 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	72 mg/L	NH ₃ -N	58 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	BDL	Phenolic Compounds	0.15 mg/L		

M/s. Odhav Enviro Project Ltd., Odhav, Ahmedabad

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.6	pH	6.5-8.5	pH	6.5-8.5	Average value of January - 2018	1.00	Nil	pH	-	pH	8.30	Flow meter at inlet & outlet, COD, pH, TSS, BOD	Storage – 90 MT
	COD	2000 mg/L	COD	250 mg/L				COD	-	COD	187 mg/L		
	BOD	700 mg/L	BOD	30 mg/L				BOD	-	BOD	48 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	-	SS	32 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	24 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	BDL		

M/s. Odhav Green Enviro Project Association, Odhav, Ahmedabad

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.00	pH	6.5-8.5	pH	6.5-8.5	Average value of January - 2018	0.60	Nil	pH	-	pH	7.90	-	-
	COD	750 mg/L	COD	250 mg/L				COD	-	COD	280 mg/L		
	BOD	250 mg/L	BOD	30 mg/L				BOD	-	BOD	84 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	-	SS	46 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	17 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	BDL		

M/s. Narol Dyestuff Enviro Society., Narol, Ahmedabad

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.10	pH	6.5-8.5	pH	6.5-8.5	Average value of January - 2018	0.015	Nil	pH	-	pH	7.92	-	Storage – 15 MT
	COD	1500 mg/L	COD	250 mg/L				COD	-	COD	213 mg/L		
	BOD	500 mg/L	BOD	30 mg/L				BOD	-	BOD	40 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	-	SS	310 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	8 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	0.12 mg/L		

M/s. Gujarat Vepari Maha Mandal Sahkari Udhdyogik Vasahat Ltd, Ahmedabad

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.00	pH	6.5-8.5	pH	6.5-8.5	Average value of January - 2018	0.60	Nil	pH	-	pH	7.07	Flow Meter	-
	COD	2000 mg/L	COD	250 mg/L				COD	-	COD	94 mg/L		
	BOD	700 mg/L	BOD	30 mg/L				BOD	-	BOD	33 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	-	SS	40 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	76 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	BDL		

M/s. Kalol GIDC Industries Association, Kadi, Gandhinagar

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.40	pH	6.5 to 8.5	pH	6.5 to 8.5	Average value of January - 2018	0.35	Nil	pH	-	pH	7.80	-	Storage – 10 MT Disposal - 32 MT
	COD	2000 mg/L	COD	250 mg/L				COD	-	COD	1050 mg/L		
	BOD	700 mg/L	BOD	100 mg/L				BOD	-	BOD	250 mg/L		
	SS	-	SS	100 mg/L				SS	-	SS	308 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	75 mg/L		
	Phenolic Compounds	-	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	BDL		

M/s. Zydus Infrastructure Pvt. Ltd, Changodar, Ahmedabad

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.5	pH	6- 8	pH	No outlet norms are prescribed as it is a ZLD based CETP by the means of MEE	Average value of January - 2018	1.3	Nil	pH	-	pH	7.03	pH, TOC meter	Storage – 50 MT
	COD	850 mg/L	COD					COD	4 mg/L				
	BOD (3 days at 27°C)	400 mg/L	BOD (3 days at 27°C)					BOD (3 days at 27°C)	1 mg/L				
	SS	300 mg/L	SS					SS	4 mg/L				
	NH ₃ -N	<10 mg/L	NH ₃ -N					NH ₃ -N	3 mg/L				
	Phenolic Compounds	<3 mg/L	Phenolic Compounds					Phenolic Compounds	BDL				

M/s. Tata Motors Ltd Vendors Park, Sanand, Ahmedabad

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.5	pH	6-10.5	pH	6.5-8.5	Average value of January - 2018	0.10	Nil	pH	-	pH	8.18	pH, DO meter, TOC meter, Flow meter	-
	COD	900 mg/L	COD	100 mg/L				COD	-	COD	48 mg/L		
	BOD	250 mg/L	BOD	30 mg/L				BOD	-	BOD	8 mg/L		
	SS	100 mg/L	SS	100 mg/L				SS	-	SS	30 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	7 mg/L		
	Phenolic Compounds	Not Applicable	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	0.08 mg/L		

M/s. Bavla Eco Project Ltd., Bavla, Ahmedabad

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.00	pH	5.5-8.5	pH	6.5-8.5	Average value of January - 2018	1.00	Nil	pH	-	pH	7.53	-	Sludge is used as Manure
	COD	4500 mg/L	COD	250 mg/L				COD	-	COD	869 mg/L		
	BOD	1500 mg/L	BOD	100 mg/L				BOD	-	BOD	375 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	-	SS	208 mg/L		
	NH ₃ -N	-	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	40 mg/L		
	Phenolic Compounds	-	Phenolic Compounds	Not Applicable				Phenolic Compounds	-	Phenolic Compounds	-		

M/s. Vinayak Jal Sudhikaran Sahakari Mandali Ltd, Bavla, Ahmedabad

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.50	pH	5.5-8.5	pH	6.5-8.5	Average value of January - 2018	1.50	Nil	pH	-	pH	7.80	-	Sludge is used as Manure
	COD	4500 mg/L	COD	250mg/L				COD	-	COD	154 mg/L		
	BOD	1500 mg/L	BOD	100 mg/L				BOD	-	BOD	63 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	-	SS	48 mg/L		
	NH ₃ -N	-	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	7 mg/L		
	Phenolic Compounds	-	Phenolic Compounds	Not Applicable				Phenolic Compounds	-	Phenolic Compounds	-		

M/s. Jay Khodiyar Enviro -Technologies Pvt. Ltd., Rajkot

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.025	pH	Up to 5	pH	6.5 to 8.5	Average value of January - 2018	0.007	Nil	pH	1.38	pH	6.91	-	Storage – 4 MT
	COD	250 mg/L	COD	100 mg/L				COD	15 mg/L	COD	5 mg/L		
	BOD	100 mg/L	BOD	30 mg/L				BOD	1.68 mg/L	BOD	0.3 mg/L		
	SS	250 mg/L	SS	100 mg/L				SS	200 mg/L	SS	66 mg/L		
	NH ₃ -N	-	NH ₃ -N	50 mg/L				NH ₃ -N	24 mg/L	NH ₃ -N	1 mg/L		
	Phenolic Compounds	-	Phenolic Compounds	1 mg/L				Phenolic Compounds	BDL	Phenolic Compounds	BDL		

M/s. Jetpur Dyeing & Printing Association, Jetpur, Rajkot

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
10.00	pH	10.5-12.0	pH	6.5-8.5	Average value of January - 2018	7.00	Nil	pH	8.98	pH	7.63	pH, Flow meter	Storage – 205 MT
	COD	1000 mg/L	COD	250 mg/L				COD	989 mg/L	COD	276 mg/L		
	BOD	350 mg/L	BOD	100 mg/L				BOD	353 mg/L	BOD	49 mg/L		
	SS	2000 mg/L	SS	100 mg/L				SS	204 mg/L	SS	98 mg/L		
	NH ₃ -N	75 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	20 mg/L	NH ₃ -N	16 mg/L		
	Phenolic Compounds	5 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	-		

M/s. Shri Dhareshwar GIDC Vistar Association, Dhareshwar, Rajkot

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.09	pH	10.5-12	pH	6.5 to 9	No sampling in the month of January - 2018	0.07	Nil	pH	-	pH	-	pH, Flow Meter	-
	COD	1000 mg/L	COD	100 mg/L				COD	-	COD	-		
	BOD	350 mg/L	BOD	30 mg/L				BOD	-	BOD	-		
	SS	2000 mg/L	SS	100 mg/L				SS	-	SS	-		
	NH ₃ -N	75 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	-		
	Phenolic Compounds	5 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	-		

M/s. Bhatgam Washing Ghat Suddhikaran Yojana Pvt. Ltd., Bhatgam, Rajkot

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
30	pH	10.5-12	pH	6.5-9	Average value of January - 2018	6.00	Nil	pH	10.2	pH	8.6	pH, Flow meter, SS, Color, MLSS, COD	-
	COD	1000 mg/L	COD	100 mg/L				COD	166 mg/L	COD	225 mg/L		
	BOD	350 mg/L	BOD	30 mg/L				BOD	34 mg/L	BOD	42 mg/L		
	SS	2000 mg/L	SS	100 mg/L				SS	210 mg/L	SS	202 mg/L		
	NH ₃ -N	75 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	8 mg/L	NH ₃ -N	0.56 mg/L		
	Phenolic Compounds	5 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	-		

M/s. Veraval Industries Association, Veraval, Junagadh

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
5	pH	5.5 to 9	pH	6 to 9	No sampling in the month of January - 2018	1.5	Nil	pH	-	pH	-	-	-
	COD	3500 mg/L	COD	250 mg/L				COD	-	COD	-		
	BOD	1000 mg/L	BOD	100 mg/L				BOD	-	BOD	-		
	SS	200 mg/L	SS	100 mg/L				SS	-	SS	-		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	-		
	Phenol	-	Phenol	-				Phenolic Compounds	-	Phenolic Compounds	-		

M/s. MPSEZ Utilities (P) Limited, Mundra, Kutch

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
2.5	pH	6.5-8.5	pH	6.5-8.5	Average value of January - 2018	0.10	Nil	pH	7.21	pH	7.79	pH, COD, BOD, TSS, Ammonical Nitrogen	-
	COD	2000 mg/L	COD	250 mg/L				COD	502 mg/L	COD	50 mg/L		
	BOD (3 days at 27° C)	1000 mg/L	BOD(3 days at 27° C)	100 mg/L				BOD(3 days at 27° C)	181 mg/L	BOD(3 days at 27° C)	16 mg/L		
	SS	800 mg/L	SS	100 mg/L				SS	70 mg/L	SS	12 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	9 mg/L	NH ₃ -N	2 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	BDL	Phenolic Compounds	BDL		