

M/s. Sarigam Clean Initiative (Old Name-Gujarat Industrial Development Corporation), Sarigam

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
12.5	pH	6.5-8.5	pH	6.5-8.5	Average value of June - 2017	8.5	Nil	pH	7.52	pH	7.54	Flow Meter, TOC meter	Storage – 60 MT Disposal – 299 MT
	COD	750 mg/L	COD	250 mg/L				COD	771 mg/L	COD	204 mg/L		
	BOD (3 days at 27°C)	300 mg/L	BOD (3 days at 27°C)	30 mg/L				BOD (3 days at 27°C)	170 mg/L	BOD (3 days at 27°C)	28 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	214 mg/L	SS	70 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	3 mg/L	NH ₃ -N	12 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	1.24 mg/L	Phenolic Compounds	0.26 mg/L		

M/s. Vapi Waste & Effluent Management Co. Ltd, Vapi

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
	Parameter	Value	Parameter	Value				Parameter	Value	Parameter	Value		
55	pH	6.5-8.5	pH	6.5-8.5	Average value of June - 2017	55	Nil	pH	7.87	pH	7.23	pH, Flow Meter, TOC & DO Meter	-
	COD	1000 mg/L	COD	250 mg/L				COD	760 mg/L	COD	228 mg/L		
	BOD	400 mg/L	BOD	30 mg/L				BOD	155 mg/L	BOD	26 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	115 mg/L	SS	65 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	37 mg/L	NH ₃ -N	35 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	1 mg/L	Phenolic Compounds	0.31 mg/L		

M/s. Sachin Infra Environment Ltd., GIDC-Sachin, Surat

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
50	pH	Not Furnished	pH	6.5-8.5	Average value of June - 2017	40	Nil	pH	7.15	pH	7.63	pH, Flow Meter, TOC	Storage - 450 MT Disposal – 904 MT
	COD	1000 mg/L	COD	250 mg/L				COD	1022 mg/L	COD	230 mg/L		
	BOD	400 mg/L	BOD	30 mg/L				BOD	210 mg/L	BOD	43 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	408 mg/L	SS	114 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	49 mg/L	NH ₃ -N	8 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	01 mg/L				Phenolic Compounds	1.09 mg/L	Phenolic Compounds	0.58 mg/L		

M/s. Globe Enviro Care Ltd. [chemical units], GIDC-Sachin, Surat

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.50	pH	6.5 to 8.5	pH	6.5 to 8.5	Average value of June - 2017	0.35	Nil	pH	7.51	pH	7.88	pH, TOC, TSS, Flow meter	Storage – 10 MT Disposal – 19 MT
	COD	4000 mg/L	COD	250 mg/L				COD	1080 mg/L	COD	220 mg/L		
	BOD	1500 mg/L	BOD	30 mg/L				BOD	212 mg/L	BOD	29 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	156 mg/L	SS	46 mg/L		
	NH ₃ -N	-	NH ₃ -N	50 mg/L				NH ₃ -N	46 mg/L	NH ₃ -N	23 mg/L		
	Phenolic Compounds	-	Phenolic Compounds	1 mg/L				Phenolic Compounds	1.76 mg/L	Phenolic Compounds	0.39 mg/L		

M/s. Pandesara Infrastructure Ltd., GIDC-Pandesara, Surat

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
100	pH	6.5-8.5	pH	6.5-8.5	Average value of June - 2017	88	Nil	pH	7.12	pH	7.42	pH, Flow Meter, TOC, COD	Disposal – 941 MT
	COD	1000 mg/L	COD	250 mg/L				COD	1110 mg/L	COD	265 mg/L		
	BOD	400 mg/L	BOD	30 mg/L				BOD	340 mg/L	BOD	35 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	356 mg/L	SS	52 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	11 mg/L	NH ₃ -N	1 mg/L		
	Phenolic Compounds	01 mg/L	Phenolic Compounds	01 mg/L				Phenolic Compounds	0.78 mg/L	Phenolic Compounds	0.42 mg/L		

M/s. Palsana Enviro Protection Ltd., (PEPL), Kadodara, Surat

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
100	pH	6.5 to 8.5	pH	6.5 to 8.5	No sampling in the month of June - 2017	95	Nil	pH	-	pH	-	pH, Flow Meter, COD, BOD, TSS	-
	COD	1000 mg/L	COD	250 mg/L				COD	-	COD	-		
	BOD	400 mg/L	BOD	30 mg/L				BOD	-	BOD	-		
	SS	300 mg/L	SS	100 mg/L				SS	-	SS	-		
	NH ₃ -N	-	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	-		
	Phenolic Compounds	-	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	-		

M/s. New Palsana Industrial Co. Op. Society Ltd., Palsana, Surat

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
45	pH	6.5-8.5	pH	6.5-8.5	Average value of June - 2017	22	Nil	pH	7.93	pH	7.84	pH, Flow meter, COD, BOD, TSS	-
	COD	1000 mg/L	COD	100 mg/L				COD	1209 mg/L	COD	232 mg/L		
	BOD	400 mg/L	BOD	30 mg/L				BOD	311 mg/L	BOD	28 mg/L		
	SS	300 mg/L	SS	<60 mg/L				SS	314 mg/L	SS	42 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	42 mg/L	NH ₃ -N	20 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	7.6 mg/L	Phenolic Compounds	1.8 mg/L		

M/s. Gujarat Eco Textile Park Pvt Ltd, Palsana, Surat

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
60	pH	Not Furnished	pH	6.5 to 8.5	Average value of June - 2017	35	Nil	pH	7.32	pH	7.81	pH, Flow Meter, COD Meter including TOC	Storage – 70 MT Disposal - 15 MT
	COD		COD	100 mg/L				COD	496 mg/L	COD	190 mg/L		
	BOD		BOD	30 mg/L				BOD	50 mg/L	BOD	28 mg/L		
	SS		SS	<60 mg/L				SS	170 mg/L	SS	70 mg/L		
	NH ₃ -N		NH ₃ -N	50 mg/L				NH ₃ -N	40 mg/L	NH ₃ -N	15 mg/L		
	Phenolic Compounds		Phenolic Compounds	1 mg/L				Phenolic Compounds	0.35 mg/L	Phenolic Compounds	0.72 mg/L		

M/s. Fairdeal Textile Parks Pvt. Ltd, Kosamaba, Surat

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
2.25	pH	Not Furnished	pH	6.5 to 8.5	Average value of June - 2017	1.00	Nil	pH	6.92	pH	6.94	pH, Flow Meter	Storage – 200 kg Disposal – 5 MT
	COD		COD	100 mg/L				COD	496 mg/L	COD	132 mg/L		
	BOD		BOD	30 mg/L				BOD	86 mg/L	BOD	25 mg/L		
	SS		SS	<60 mg/L				SS	72 mg/L	SS	12 mg/L		
	NH ₃ -N		NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	-		
	Phenolic Compounds		Phenolic Compounds	1 mg/L				Phenolic Compounds	0.27 mg/L	Phenolic Compounds	0.18 mg/L		

M/s. Panoli Enviro Technology Ltd., GIDC-Panoil, Bharuch

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.00	pH	Not Furnished	pH	5.5-8.5	Average value of June - 2017	0.35	Nil	pH	6.68	pH	6.91	pH, Flow Meter, TOC	Storage - Nil
	COD		COD	100 mg/L				COD	1320 mg/L	COD	430 mg/L		
	BOD		BOD	30 mg/L				BOD	360 mg/L	BOD	48 mg/L		
	SS		SS	100 mg/L				SS	235 mg/L	SS	75 mg/L		
	NH ₃ -N		NH ₃ -N	50 mg/L				NH ₃ -N	73 mg/L	NH ₃ -N	12 mg/L		
	Phenolic Compounds		Phenolic Compounds	1 mg/L				Phenolic Compounds	1.7 mg/L	Phenolic Compounds	0.42 mg/L		

M/s. Enviro Technology Ltd., GIDC-Ankleshwar, Bharuch

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.80	pH	Not Furnished	pH	5.5-8.5	Average value of June - 2017	1.10	Nil	pH	1.24	pH	7.16	pH, Flow, COD, BOD, TSS, TOC	Storage - Nil
	COD		COD	100 mg/L				COD	2972 mg/L	COD	780 mg/L		
	BOD (3 days at 27°C)		BOD (3 days at 27°C)	30 mg/L				BOD (3 days at 27°C)	801 mg/L	BOD (3 days at 27°C)	118 mg/L		
	SS		SS	100 mg/L				SS	247 mg/L	SS	91 mg/L		
	NH ₃ -N		NH ₃ -N	50 mg/L				NH ₃ -N	53 mg/L	NH ₃ -N	41 mg/L		
	Phenolic Compounds		Phenolic Compounds	1 mg/L				Phenolic Compounds	10.76 mg/L	Phenolic Compounds	0.61 mg/L		

M/s. Narmada Clean Tech Ltd., (Bharuch Eco-Aqua Infrastructure Ltd.)(BEAIL), Ankleshwar

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
40	pH	Not Furnished	pH	6-9	Average value of June - 2017	40	Nil	pH	7.82	pH	7.71	pH, Flow Meter, TOC, TSS	Storage – 30 MT
	COD		COD	500 mg/L				COD	1178 mg/L	COD	645 mg/L		
	BOD		BOD	100 mg/L				BOD	285 mg/L	BOD	49 mg/L		
	SS		SS	100 mg/L				SS	260 mg/L	SS	48 mg/L		
	NH ₃ -N		NH ₃ -N	50 mg/L				NH ₃ -N	475 mg/L	NH ₃ -N	165 mg/L		
	Phenolic Compounds		Phenolic Compounds	5 mg/L				Phenolic Compounds	5.77 mg/L	Phenolic Compounds	1 mg/L		

M/s. Nandesari Industrial Association (CETP), GIDC-Nandesari, Vadodara

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
6.80	pH	5 to 9	pH	6.5 to 8.5	Average value of June - 2017	4.80	Nil	pH	7.12	pH	5.63	pH, COD, BOD, TSS, NH ₃ -N, Color, TOC, Temperature	-
	COD	2000 mg/L	COD	250 mg/L				COD	1541 mg/L	COD	297 mg/L		
	BOD	500 mg/L	BOD	100 mg/L				BOD	457 mg/L	BOD	74 mg/L		
	SS	600 mg/L	SS	100 mg/L				SS	1136 mg/L	SS	150 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	17 mg/L	NH ₃ -N	1 mg/L		
	Phenolic Compounds	5 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.99 mg/L	Phenolic Compounds	0.56 mg/L		

M/s. Enviro Infrastructure Co. Ltd., Umraya(Padra), Vadodara

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
4.50	pH	5 to 9	pH	6.5 to 8.5	Average value of June - 2017	1.50	Nil	pH	7.52	pH	7.81	pH, Flow Meter, TOC, TSS, Color, NH ₃ -N	-
	COD	2000 mg/L	COD	250 mg/L				COD	508 mg/L	COD	238 mg/L		
	BOD	500 mg/L	BOD	100 mg/L				BOD	36 mg/L	BOD	36 mg/L		
	SS	600 mg/L	SS	100 mg/L				SS	492 mg/L	SS	60 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	5.04 mg/L	NH ₃ -N	4 mg/L		
	Phenolic Compounds	5 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.36 mg/L	Phenolic Compounds	0.30 mg/L		

M/s. Naroda Enviro Project Ltd., Naroda, Ahmedabad

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
3.00	pH	6.5-8.5	pH	6.5-8.5	Average value of June - 2017	3.00	Nil	pH	-	pH	7.99	-	-
	COD	3000 mg/L	COD	250 mg/L				COD	-	COD	1629 mg/L		
	BOD	1200 mg/L	BOD	30 mg/L				BOD	-	BOD	434 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	-	SS	234 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	110 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	1.43 mg/L		

M/s. The Green Environment Services Co. Op. Society Ltd, Vatva, Ahmedabad

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
	Parameter	Value	Parameter	Value				Parameter	Value	Parameter	Value		
16	pH	6.5-8.5	pH	6.5-8.5	Average value of June - 2017	20	Nil	pH	-	pH	7.26	pH, Flow Meter, TOC, COD, BOD, TSS	-
	COD	3000 mg/L	COD	250 mg/L				COD	-	COD	735 mg/L		
	BOD	1200 mg/L	BOD	30 mg/L				BOD	-	BOD	220 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	-	SS	130 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	47 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	1.17 mg/L		

M/s. Odhav Enviro Project Ltd., Odhav, Ahmedabad

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.6	pH	6.5-8.5	pH	6.5-8.5	Average value of June - 2017	1.00	Nil	pH	-	pH	7.10	Flow meter at inlet & outlet, COD, pH, TSS, BOD	Storage – 30 MT
	COD	3000 mg/L	COD	250 mg/L				COD	-	COD	303 mg/L		
	BOD	1200 mg/L	BOD	30 mg/L				BOD	-	BOD	98 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	-	SS	60 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	11 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	2.95 mg/L		

M/s. Odhav Green Enviro Project Association, Odhav, Ahmedabad

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.00	pH	6.5-8.5	pH	6.5-8.5	Average value of June - 2017	0.60	Nil	pH	-	pH	7.94	-	-
	COD	3000 mg/L	COD	250 mg/L				COD	-	COD	410 mg/L		
	BOD	1200 mg/L	BOD	30 mg/L				BOD	-	BOD	154 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	-	SS	132 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	62 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	BDL		

M/s. Narol Dyestuff Enviro Society., Narol, Ahmedabad

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.10	pH	6.5-8.5	pH	6.5-8.5	Average value of June - 2017	0.015	Nil	pH	-	pH	7.69	-	Disposal – 15 MT
	COD	3000 mg/L	COD	250 mg/L				COD	-	COD	763 mg/L		
	BOD	1200 mg/L	BOD	30 mg/L				BOD	-	BOD	228 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	-	SS	368 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	11 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	0.71 mg/L		

M/s. Gujarat Vepari Maha Mandal Sahkari Udhdyogik Vasahat Ltd, Ahmedabad

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.00	pH	6.5-8.5	pH	6.5-8.5	Average value of June - 2017	0.60	Nil	pH	-	pH	7.30	Flow Meter	Storage – 60 MT
	COD	3000 mg/L	COD	250 mg/L				COD	-	COD	163 mg/L		
	BOD	1200 mg/L	BOD	30 mg/L				BOD	-	BOD	52 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	-	SS	136 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	59 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	BDL		

M/s. Kalol GIDC Industries Association, Kadi, Gandhinagar

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.40	pH	6.5 to 8.5	pH	6.5 to 8.5	Average value of June - 2017	0.35	Nil	pH	-	pH	7.74	-	Storage - 3 MT Disposal – 13 MT
	COD	2500 mg/L	COD	250 mg/L				COD	-	COD	1348 mg/L		
	BOD	1000 mg/L	BOD	100 mg/L				BOD	-	BOD	428 mg/L		
	SS	-	SS	100 mg/L				SS	-	SS	236 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	77 mg/L		
	Phenolic Compounds	-	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	0.71 mg/L		

M/s. Zydus Infrastructure Pvt. Ltd, Changodar, Ahmedabad

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.5	pH	6- 8	pH	No outlet norms are prescribed as it is a ZLD based CETP by the means of MEE	Average value of June - 2017	1.3	Nil	pH	-	pH	6.30	pH, TOC meter	Storage – 10 MT
	COD	850 mg/L	COD					COD	8 mg/L				
	BOD (3 days at 27°C)	400 mg/L	BOD (3 days at 27°C)					BOD (3 days at 27°C)	2 mg/L				
	SS	300 mg/L	SS					SS	4 mg/L				
	NH ₃ -N	<10 mg/L	NH ₃ -N					NH ₃ -N	1 mg/L				
	Phenolic Compounds	<3 mg/L	Phenolic Compounds					Phenolic Compounds	BDL				

M/s. Tata Motors Ltd Vendors Park, Sanand, Ahmedabad

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.5	pH	6-10.5	pH	6.5-8.5	Average value of June - 2017	0.10	Nil	pH	-	pH	7.96	pH, DO meter, TOC meter, Flow meter	-
	COD	900 mg/L	COD	100 mg/L				COD	-	COD	40 mg/L		
	BOD	250 mg/L	BOD	30 mg/L				BOD	-	BOD	11 mg/L		
	SS	100 mg/L	SS	100 mg/L				SS	-	SS	23 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	1 mg/L		
	Phenolic Compounds	Not Applicable	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	BDL		

M/s. Bavla Eco Project Ltd., Bavla, Ahmedabad

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.00	pH	No CETP Designed Inlet Quality prescribed as it is a CETP of rice mill cluster	pH	6.5-8.5	Average value of June - 2017	1.00	Nil	pH	-	pH	7.80	-	Sludge is used as Manure
	COD		COD	250 mg/L				COD	-	COD	519 mg/L		
	BOD		BOD	100 mg/L				BOD	-	BOD	152 mg/L		
	SS		SS	100 mg/L				SS	-	SS	233 mg/L		
	NH ₃ -N		NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	60 mg/L		
	Phenolic Compounds		Phenolic Compounds	Not Applicable				Phenolic Compounds	-	Phenolic Compounds	BDL		

M/s. Vinayak Jal Sudhikaran Sahakari Mandali Ltd, Bavla, Ahmedabad

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.50	pH	No CETP Designed Inlet Quality prescribed as it is the CETP of Rice Mills	pH	6.5-8.5	Average value of June - 2017	1.50	Nil	pH	-	pH	7.90	-	Sludge is used as Manure
	COD		COD	250mg/L				COD	-	COD	268 mg/L		
	BOD		BOD	100 mg/L				BOD	-	BOD	58 mg/L		
	SS		SS	100 mg/L				SS	-	SS	18 mg/L		
	NH ₃ -N		NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	18 mg/L		
	Phenolic Compounds		Phenolic Compounds	Not Applicable				Phenolic Compounds	-	Phenolic Compounds	0.34 mg/L		

M/s. Jay Khodiyar Enviro -Technologies Pvt. Ltd., Rajkot

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.025	pH	Not Furnished	pH	6.5 to 8.5	No sampling in the month of June - 2017	0.007	Nil	pH	-	pH	-	-	Storage – 9 MT
	COD		COD	250 mg/L				COD	-	COD	-		
	BOD		BOD	30 mg/L				BOD	-	BOD	-		
	SS		SS	100 mg/L				SS	-	SS	-		
	NH ₃ -N		NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	-		
	Phenolic Compounds		Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	-		

M/s. Jetpur Dyeing & Printing Association, Jetpur, Rajkot

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
10.00	pH	Not Furnished	pH	6.5 to 8.5	No sampling in the month of June - 2017	7.00	Nil	pH	-	pH	-	pH, Flow meter	Storage – 150 MT
	COD		COD	250 mg/L				COD	-	COD	-		
	BOD		BOD	30 mg/L				BOD	-	BOD	-		
	SS		SS	100 mg/L				SS	-	SS	-		
	NH ₃ -N		NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	-		
	Phenolic Compounds		Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	-		

M/s. Shri Dhareshwar GIDC Vistar Association, Dhareshwar, Rajkot

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.09	pH	-	pH	6.5 to 8.5	No sampling in the month of June - 2017	0.07	Nil	pH	-	pH	-	pH, Flow Meter	-
	COD	-	COD	250 mg/L				COD	-	COD	-		
	BOD	-	BOD	100 mg/L				BOD	-	BOD	-		
	SS	-	SS	100 mg/L				SS	-	SS	-		
	NH ₃ -N	-	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	-		
	Phenolic Compounds	-	Phenolic Compounds	-				Phenolic Compounds	-	Phenolic Compounds	-		

M/s. Bhatgam Washing Ghat Suddhikaran Yojana Pvt. Ltd., Bhatgam, Rajkot

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
30	pH	-	pH	6.5 to 8.5	No sampling in the month of June - 2017	6.00	Nil	pH	-	pH	-	pH, Flow meter, SS, Color, MLSS, COD	Storage – 100 MT
	COD	-	COD	100 mg/L				COD	-	COD	-		
	BOD	-	BOD	30 mg/L				BOD	-	BOD	-		
	SS	-	SS	100 mg/L				SS	-	SS	-		
	NH ₃ -N	-	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	-		
	Phenolic Compounds	-	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	-		

M/s. Veraval Industries Association, Veraval, Junagadh

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
5	pH	5.5 to 9	pH	6 to 9	Average value of June - 2017	1.5	Nil	pH	7.10	pH	7.44	-	-
	COD	3500 mg/L	COD	250 mg/L				COD	938 mg/L	COD	170 mg/L		
	BOD	1000 mg/L	BOD	100 mg/L				BOD	323 mg/L	BOD	51 mg/L		
	SS	200 mg/L	SS	100 mg/L				SS	429 mg/L	SS	156 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	134 mg/L	NH ₃ -N	96 mg/L		
	Phenolic Compounds	-	Phenolic Compounds	-				Phenolic Compounds	-	Phenolic Compounds	-		

M/s. MPSEZ Utilities (P) Limited, Mundra, Kutch

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
2.5	pH	6.5-8.5	pH	6.5-8.5	No sampling in the month of June - 2017	0.10	Nil	pH	-	pH	-	pH, COD, BOD, TSS, Ammonical Nitrogen	-
	COD	2000 mg/L	COD	100 mg/L				COD	-	COD	-		
	BOD (3 days at 27° C)	1000 mg/L	BOD(3 days at 27° C)	30 mg/L				BOD(3 days at 27° C)	-	BOD(3 days at 27° C)	-		
	SS	800 mg/L	SS	100 mg/L				SS	-	SS	-		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	-		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	-		