

M/s. Sarigam Clean Initiative (Old Name-Gujarat Industrial Development Corporation), Sarigam

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
12.5	pH	6.5-8.5	pH	6.5-8.5	Average value of May - 2017	8.5	Nil	pH	7.33	pH	7.81	Flow Meter, TOC meter	Storage – 750 MT
	COD	750 mg/L	COD	250 mg/L				COD	1057 mg/L	COD	257 mg/L		
	BOD (3 days at 27°C)	300 mg/L	BOD (3 days at 27°C)	30 mg/L				BOD (3 days at 27°C)	314 mg/L	BOD (3 days at 27°C)	38 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	311 mg/L	SS	112 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	10 mg/L	NH ₃ -N	4 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	1.45 mg/L	Phenolic Compounds	0.40 mg/L		

M/s. Vapi Waste & Effluent Management Co. Ltd, Vapi

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
	Parameter	Value	Parameter	Value				Parameter	Value	Parameter	Value		
55	pH	6.5-8.5	pH	6.5-8.5	Average value of May - 2017	55	Nil	pH	7.79	pH	7.33	pH, Flow Meter, TOC & DO Meter	-
	COD	1000 mg/L	COD	250 mg/L				COD	1042 mg/L	COD	251 mg/L		
	BOD	400 mg/L	BOD	30 mg/L				BOD	226 mg/L	BOD	28 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	248 mg/L	SS	69 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	45 mg/L	NH ₃ -N	37 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	1 mg/L	Phenolic Compounds	0.29 mg/L		

M/s. Sachin Infra Environment Ltd., GIDC-Sachin, Surat

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
50	pH	Not Furnished	pH	6.5-8.5	Average value of May - 2017	40	Nil	pH	7.87	pH	7.90	pH, Flow Meter, TOC	Storage - 100 MT Disposal – 623 MT
	COD	1000 mg/L	COD	250 mg/L				COD	1126 mg/L	COD	227 mg/L		
	BOD	400 mg/L	BOD	30 mg/L				BOD	340 mg/L	BOD	28 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	116 mg/L	SS	196 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	5 mg/L	NH ₃ -N	2 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	01 mg/L				Phenolic Compounds	0.82 mg/L	Phenolic Compounds	0.37 mg/L		

M/s. Globe Enviro Care Ltd. [chemical units], GIDC-Sachin, Surat

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.50	pH	6.5 to 8.5	pH	6.5 to 8.5	Average value of May - 2017	0.35	Nil	pH	7.99	pH	7.56	pH, TOC, TSS, Flow meter	Storage – 8 MT
	COD	4000 mg/L	COD	250 mg/L				COD	1250 mg/L	COD	230 mg/L		
	BOD	1500 mg/L	BOD	30 mg/L				BOD	398 mg/L	BOD	29 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	312 mg/L	SS	48 mg/L		
	NH ₃ -N	-	NH ₃ -N	50 mg/L				NH ₃ -N	4.4 mg/L	NH ₃ -N	2 mg/L		
	Phenolic Compounds	-	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.86 mg/L	Phenolic Compounds	0.49 mg/L		

M/s. Pandesara Infrastructure Ltd., GIDC-Pandesara, Surat

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
100	pH	6.5-8.5	pH	6.5-8.5	Average value of May - 2017	88	Nil	pH	7.01	pH	7.45	pH, Flow Meter, TOC, COD	Disposal – 535 MT
	COD	1000 mg/L	COD	250 mg/L				COD	1238 mg/L	COD	241 mg/L		
	BOD	400 mg/L	BOD	30 mg/L				BOD	398 mg/L	BOD	41 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	236 mg/L	SS	50 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	9 mg/L	NH ₃ -N	4 mg/L		
	Phenolic Compounds	01 mg/L	Phenolic Compounds	01 mg/L				Phenolic Compounds	0.46 mg/L	Phenolic Compounds	BDL		

M/s. Palsana Enviro Protection Ltd., (PEPL), Kadodara, Surat

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
100	pH	6.5 to 8.5	pH	6.5 to 8.5	Average value of May - 2017	95	Nil	pH	7.31	pH	7.46	pH, Flow Meter, COD, BOD, TSS	Storage – 720 MT
	COD	1000 mg/L	COD	250 mg/L				COD	1105 mg/L	COD	1732 mg/L		
	BOD	400 mg/L	BOD	30 mg/L				BOD	345 mg/L	BOD	308 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	202 mg/L	SS	1700 mg/L		
	NH ₃ -N	-	NH ₃ -N	50 mg/L				NH ₃ -N	7 mg/L	NH ₃ -N	2 mg/L		
	Phenolic Compounds	-	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.37 mg/L	Phenolic Compounds	0.52 mg/L		

M/s. New Palsana Industrial Co. Op. Society Ltd., Palsana, Surat

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
45	pH	6.5-8.5	pH	6.5-8.5	Average value of May - 2017	22	Nil	pH	7.29	pH	7.83	pH, Flow meter, COD, BOD, TSS	Storage - 35 MT
	COD	1000 mg/L	COD	100 mg/L				COD	1160 mg/L	COD	230 mg/L		
	BOD	400 mg/L	BOD	30 mg/L				BOD	338 mg/L	BOD	39 mg/L		
	SS	300 mg/L	SS	<60 mg/L				SS	328 mg/L	SS	56 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	11 mg/L	NH ₃ -N	3 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.53 mg/L	Phenolic Compounds	0.29 mg/L		

M/s. Gujarat Eco Textile Park Pvt Ltd, Palsana, Surat

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
60	pH	Not Furnished	pH	6.5 to 8.5	Average value of May - 2017	35	Nil	pH	7.63	pH	7.57	pH, Flow Meter, COD Meter including TOC	Storage - 100 MT
	COD		COD	100 mg/L				COD	1076 mg/L	COD	336 mg/L		
	BOD		BOD	30 mg/L				BOD	345 mg/L	BOD	46 mg/L		
	SS		SS	<60 mg/L				SS	268 mg/L	SS	88 mg/L		
	NH ₃ -N		NH ₃ -N	50 mg/L				NH ₃ -N	4 mg/L	NH ₃ -N	2 mg/L		
	Phenolic Compounds		Phenolic Compounds	1 mg/L				Phenolic Compounds	0.76 mg/L	Phenolic Compounds	0.11 mg/L		

M/s. Fairdeal Textile Parks Pvt. Ltd, Kosamaba, Surat

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
2.25	pH	Not Furnished	pH	6.5 to 8.5	Average value of May - 2017	1.00	Nil	pH	7.09	pH	7.87	pH, Flow Meter	Storage – 4 MT
	COD		COD	100 mg/L				COD	539 mg/L	COD	14 mg/L		
	BOD		BOD	30 mg/L				BOD	93 mg/L	BOD	<5 mg/L		
	SS		SS	<60 mg/L				SS	148 mg/L	SS	8 mg/L		
	NH ₃ -N		NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	-		
	Phenolic Compounds		Phenolic Compounds	1 mg/L				Phenolic Compounds	0.56 mg/L	Phenolic Compounds	BDL		

M/s. Panoli Enviro Technology Ltd., GIDC-Panoil, Bharuch

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.00	pH	Not Furnished	pH	5.5-8.5	Average value of May - 2017	0.35	Nil	pH	6.98	pH	7.53	pH, Flow Meter, TOC	Storage – 175 MT
	COD		COD	100 mg/L				COD	2115 mg/L	COD	490 mg/L		
	BOD		BOD	30 mg/L				BOD	631 mg/L	BOD	60 mg/L		
	SS		SS	100 mg/L				SS	283 mg/L	SS	83 mg/L		
	NH ₃ -N		NH ₃ -N	50 mg/L				NH ₃ -N	61 mg/L	NH ₃ -N	30 mg/L		
	Phenolic Compounds		Phenolic Compounds	1 mg/L				Phenolic Compounds	1.17 mg/L	Phenolic Compounds	0.32 mg/L		

M/s. Enviro Technology Ltd., GIDC-Ankleshwar, Bharuch

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.80	pH	Not Furnished	pH	5.5-8.5	Average value of May - 2017	1.10	Nil	pH	1.23	pH	7.01	pH, Flow, COD, BOD, TSS, TOC	Storage - Nil
	COD		COD	100 mg/L				COD	3104 mg/L	COD	550 mg/L		
	BOD (3 days at 27°C)		BOD (3 days at 27°C)	30 mg/L				BOD (3 days at 27°C)	944 mg/L	BOD (3 days at 27°C)	28 mg/L		
	SS		SS	100 mg/L				SS	601 mg/L	SS	106 mg/L		
	NH ₃ -N		NH ₃ -N	50 mg/L				NH ₃ -N	81 mg/L	NH ₃ -N	36 mg/L		
	Phenolic Compounds		Phenolic Compounds	1 mg/L				Phenolic Compounds	6.25 mg/L	Phenolic Compounds	0.3 mg/L		

M/s. Narmada Clean Tech Ltd., (Bharuch Eco-Aqua Infrastructure Ltd.)(BEAIL), Ankleshwar

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
40	pH	Not Furnished	pH	6-9	Average value of May - 2017	40	Nil	pH	7.76	pH	7.33	pH, Flow Meter, TOC, TSS	Storage – 200 MT
	COD		COD	500 mg/L				COD	1736 mg/L	COD	619 mg/L		
	BOD		BOD	100 mg/L				BOD	527 mg/L	BOD	33 mg/L		
	SS		SS	100 mg/L				SS	259 mg/L	SS	61 mg/L		
	NH ₃ -N		NH ₃ -N	50 mg/L				NH ₃ -N	248 mg/L	NH ₃ -N	103 mg/L		
	Phenolic Compounds		Phenolic Compounds	5 mg/L				Phenolic Compounds	4 mg/L	Phenolic Compounds	1.36 mg/L		

M/s. Nandesari Industrial Association (CETP), GIDC-Nandesari, Vadodara

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
6.80	pH	5 to 9	pH	6.5 to 8.5	Average value of May - 2017	4.80	Nil	pH	6.94	pH	6.90	pH, COD, BOD, TSS, NH ₃ -N, Color, TOC, Temperature	-
	COD	2000 mg/L	COD	250 mg/L				COD	1255 mg/L	COD	489 mg/L		
	BOD	500 mg/L	BOD	100 mg/L				BOD	431 mg/L	BOD	146 mg/L		
	SS	600 mg/L	SS	100 mg/L				SS	717 mg/L	SS	122 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	39 mg/L	NH ₃ -N	1 mg/L		
	Phenolic Compounds	5 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.19 mg/L	Phenolic Compounds	0.35 mg/L		

M/s. Enviro Infrastructure Co. Ltd., Umraya(Padra), Vadodara

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
4.50	pH	5 to 9	pH	6.5 to 8.5	Average value of May - 2017	1.50	Nil	pH	6.92	pH	7.74	pH, Flow Meter, TOC, TSS, Color, NH ₃ -N	-
	COD	2000 mg/L	COD	250 mg/L				COD	777 mg/L	COD	321 mg/L		
	BOD	500 mg/L	BOD	100 mg/L				BOD	250 mg/L	BOD	42 mg/L		
	SS	600 mg/L	SS	100 mg/L				SS	98 mg/L	SS	34 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	3 mg/L	NH ₃ -N	102 mg/L		
	Phenolic Compounds	5 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.09 mg/L	Phenolic Compounds	0.18 mg/L		

M/s. Naroda Enviro Project Ltd., Naroda, Ahmedabad

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
3.00	pH	6.5-8.5	pH	6.5-8.5	Average value of May - 2017	3.00	Nil	pH	-	pH	7.50	-	-
	COD	3000 mg/L	COD	250 mg/L				COD	-	COD	1060 mg/L		
	BOD	1200 mg/L	BOD	30 mg/L				BOD	-	BOD	360 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	-	SS	170 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	30 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	0.30 mg/L		

M/s. The Green Environment Services Co. Op. Society Ltd, Vatva, Ahmedabad

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
	Parameter	Value	Parameter	Value				Parameter	Value	Parameter	Value		
16	pH	6.5-8.5	pH	6.5-8.5	Average value of May - 2017	20	Nil	pH	-	pH	7.28	pH, Flow Meter, TOC, COD, BOD, TSS	Storage – 5000 MT
	COD	3000 mg/L	COD	250 mg/L				COD	-	COD	867 mg/L		
	BOD	1200 mg/L	BOD	30 mg/L				BOD	-	BOD	243 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	-	SS	114 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	46 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	BDL		

M/s. Odhav Enviro Project Ltd., Odhav, Ahmedabad

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.6	pH	6.5-8.5	pH	6.5-8.5	Average value of May - 2017	1.00	Nil	pH	-	pH	6.98	Flow meter at inlet & outlet, COD, pH, TSS, BOD	Storage – 60 MT
	COD	3000 mg/L	COD	250 mg/L				COD	-	COD	715 mg/L		
	BOD	1200 mg/L	BOD	30 mg/L				BOD	-	BOD	277 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	-	SS	152 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	36 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	1.30 mg/L		

M/s. Odhav Green Enviro Project Association, Odhav, Ahmedabad

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.00	pH	6.5-8.5	pH	6.5-8.5	Average value of May - 2017	0.60	Nil	pH	-	pH	7.41	-	Storage – 5 MT
	COD	3000 mg/L	COD	250 mg/L				COD	-	COD	546 mg/L		
	BOD	1200 mg/L	BOD	30 mg/L				BOD	-	BOD	185 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	-	SS	186 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	60 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	BDL		

M/s. Narol Dyestuff Enviro Society., Narol, Ahmedabad

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.10	pH	6.5-8.5	pH	6.5-8.5	Average value of May - 2017	0.015	Nil	pH	-	pH	7.72	-	Storage – 12 MT
	COD	3000 mg/L	COD	250 mg/L				COD	-	COD	922 mg/L		
	BOD	1200 mg/L	BOD	30 mg/L				BOD	-	BOD	318 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	-	SS	348 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	10 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	0.30 mg/L		

M/s. Gujarat Vepari Maha Mandal Sahkari Udhyogik Vasahat Ltd, Ahmedabad

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.00	pH	6.5-8.5	pH	6.5-8.5	Average value of May - 2017	0.60	Nil	pH	-	pH	7.08	Flow Meter	Storage – 200 MT
	COD	3000 mg/L	COD	250 mg/L				COD	-	COD	78 mg/L		
	BOD	1200 mg/L	BOD	30 mg/L				BOD	-	BOD	26 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	-	SS	14 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	39 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	BDL		

M/s. Kalol GIDC Industries Association, Kadi, Gandhinagar

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.40	pH	6.5 to 8.5	pH	6.5 to 8.5	Average value of May - 2017	0.35	Nil	pH	-	pH	7.27	-	Storage - 7 MT
	COD	2500 mg/L	COD	250 mg/L				COD	-	COD	1118 mg/L		
	BOD	1000 mg/L	BOD	100 mg/L				BOD	-	BOD	384 mg/L		
	SS	-	SS	100 mg/L				SS	-	SS	165 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	5 mg/L		
	Phenolic Compounds	-	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	0.88 mg/L		

M/s. Zydus Infrastructure Pvt. Ltd, Changodar, Ahmedabad

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.5	pH	6- 8	pH	No outlet norms are prescribed as it is a ZLD based CETP by the means of MEE	Average value of May - 2017	1.3	Nil	pH	-	pH	7.02	pH, TOC meter	-
	COD	850 mg/L	COD					COD	5 mg/L				
	BOD (3 days at 27°C)	400 mg/L	BOD (3 days at 27°C)					BOD (3 days at 27°C)	<2 mg/L				
	SS	300 mg/L	SS					SS	2 mg/L				
	NH ₃ -N	<10 mg/L	NH ₃ -N					NH ₃ -N	0.45 mg/L				
	Phenolic Compounds	<3 mg/L	Phenolic Compounds					Phenolic Compounds	BDL				

M/s. Tata Motors Ltd Vendors Park, Sanand, Ahmedabad

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.5	pH	6-10.5	pH	6.5-8.5	Average value of May - 2017	0.10	Nil	pH	-	pH	8.31	pH, DO meter, TOC meter, Flow meter	-
	COD	900 mg/L	COD	100 mg/L				COD	-	COD	40 mg/L		
	BOD	250 mg/L	BOD	30 mg/L				BOD	-	BOD	22 mg/L		
	SS	100 mg/L	SS	100 mg/L				SS	-	SS	12 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	1 mg/L		
	Phenolic Compounds	Not Applicable	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	BDL		

M/s. Bavla Eco Project Ltd., Bavla, Ahmedabad

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.00	pH	No CETP Designed Inlet Quality prescribed as it is a CETP of rice mill cluster	pH	6.5-8.5	Average value of May - 2017	1.00	Nil	pH	-	pH	7.87	-	Sludge is used as Manure
	COD		COD	250 mg/L				COD	-	COD	671 mg/L		
	BOD		BOD	100 mg/L				BOD	-	BOD	209 mg/L		
	SS		SS	100 mg/L				SS	-	SS	320 mg/L		
	NH ₃ -N		NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	51 mg/L		
	Phenolic Compounds		Phenolic Compounds	Not Applicable				Phenolic Compounds	-	Phenolic Compounds	BDL		

M/s. Vinayak Jal Sudhikaran Sahakari Mandali Ltd, Bavla, Ahmedabad

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.50	pH	No CETP Designed Inlet Quality prescribed as it is the CETP of Rice Mills	pH	6.5-8.5	Average value of May - 2017	1.50	Nil	pH	-	pH	8.12	-	Sludge is used as Manure
	COD		COD	250mg/L				COD	-	COD	207 mg/L		
	BOD		BOD	100 mg/L				BOD	-	BOD	57 mg/L		
	SS		SS	100 mg/L				SS	-	SS	170 mg/L		
	NH ₃ -N		NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	10 mg/L		
	Phenolic Compounds		Phenolic Compounds	Not Applicable				Phenolic Compounds	-	Phenolic Compounds	BDL		

M/s. Jay Khodiyar Enviro -Technologies Pvt. Ltd., Rajkot

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.025	pH	Not Furnished	pH	6.5 to 8.5	Average value of May - 2017	0.007	Nil	pH	-	pH	9.91	-	Storage – 9 MT
	COD		COD	250 mg/L				COD	-	COD	21 mg/L		
	BOD		BOD	30 mg/L				BOD	-	BOD	37 mg/L		
	SS		SS	100 mg/L				SS	-	SS	164 mg/L		
	NH ₃ -N		NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	7 mg/L		
	Phenolic Compounds		Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	BDL		

M/s. Jetpur Dyeing & Printing Association, Jetpur, Rajkot

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
10.00	pH	Not Furnished	pH	6.5 to 8.5	Average value of May - 2017	7.00	Nil	pH	11.45	pH	7.69	pH, Flow meter	Storage – 150 MT
	COD		COD	250 mg/L				COD	1110 mg/L	COD	297 mg/L		
	BOD		BOD	30 mg/L				BOD	372 mg/L	BOD	91 mg/L		
	SS		SS	100 mg/L				SS	650 mg/L	SS	148 mg/L		
	NH ₃ -N		NH ₃ -N	50 mg/L				NH ₃ -N	17 mg/L	NH ₃ -N	6 mg/L		
	Phenolic Compounds		Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	-		

M/s. Shri Dhareshwar GIDC Vistar Association, Dhareshwar, Rajkot

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.09	pH	-	pH	6.5 to 8.5	Average value of May - 2017	0.07	Nil	pH	7.98	pH	7.26	pH, Flow Meter	Storage – 30 MT
	COD	-	COD	250 mg/L				COD	2921 mg/L	COD	388 mg/L		
	BOD	-	BOD	100 mg/L				BOD	978 mg/L	BOD	111 mg/L		
	SS	-	SS	100 mg/L				SS	480 mg/L	SS	168 mg/L		
	NH ₃ -N	-	NH ₃ -N	50 mg/L				NH ₃ -N	182 mg/L	NH ₃ -N	45 mg/L		
	Phenolic Compounds	-	Phenolic Compounds	-				Phenolic Compounds	-	Phenolic Compounds	-		

M/s. Bhatgam Washing Ghat Suddhikaran Yojana Pvt. Ltd., Bhatgam, Rajkot

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
30	pH	-	pH	6.5 to 8.5	No sampling in the month of May - 2017	6.00	Nil	pH	-	pH	-	pH, Flow meter, SS, Color, MLSS, COD	Storage – 300 MT
	COD	-	COD	100 mg/L				COD	-	COD	-		
	BOD	-	BOD	30 mg/L				BOD	-	BOD	-		
	SS	-	SS	100 mg/L				SS	-	SS	-		
	NH ₃ -N	-	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	-		
	Phenolic Compounds	-	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	-		

M/s. Veraval Industries Association, Veraval, Junagadh

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
5	pH	5.5 to 9	pH	6 to 9	No sampling in the month of May - 2017	1.5	Nil	pH	-	pH	-	-	-
	COD	3500 mg/L	COD	250 mg/L				COD	-	COD	-		
	BOD	1000 mg/L	BOD	100 mg/L				BOD	-	BOD	-		
	SS	200 mg/L	SS	100 mg/L				SS	-	SS	-		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	-		
	Phenolic Compounds	-	Phenolic Compounds	-				Phenolic Compounds	-	Phenolic Compounds	-		

M/s. MPSEZ Utilities (P) Limited, Mundra, Kutch

Capacity in (MLD)	Designed Inlet Quality		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
	Parameter	Standard	Parameter	Standard				Parameter	Value	Parameter	Value		
2.5	pH	6.5-8.5	pH	6.5-8.5	Average value of May - 2017	0.10	Nil	pH	7.32	pH	7.26	pH, COD, BOD, TSS, Ammonical Nitrogen	-
	COD	2000 mg/L	COD	100 mg/L				COD	241 mg/L	COD	73 mg/L		
	BOD (3 days at 27° C)	1000 mg/L	BOD(3 days at 27° C)	30 mg/L				BOD(3 days at 27° C)	84 mg/L	BOD(3 days at 27° C)	22 mg/L		
	SS	800 mg/L	SS	100 mg/L				SS	78 mg/L	SS	4 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	196 mg/L	NH ₃ -N	43 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.1 mg/L	Phenolic Compounds	-		