

M/s. The Green Environment Services Co. Op. Society Ltd, Vatva, Ahmedabad

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
16	pH	6.5-8.5	pH	6.5-8.5	Average value of October - 2019	23	Nil	pH	7.60	pH	7.33	pH, Flow Meter, TOC, COD, BOD, TSS	-
	COD	2000 mg/L	COD	250 mg/L				COD	1356 mg/L	COD	368 mg/L		
	BOD	700 mg/L	BOD	30 mg/L				BOD	322 mg/L	BOD	33 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	236 mg/L	SS	46 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	43 mg/L	NH ₃ -N	3 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.39 mg/L	Phenolic Compounds	0.63 mg/L		

M/s. Odhav Enviro Project Ltd., Odhav, Ahmedabad

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.2	pH	6.5-8.5	pH	6.5-8.5	Average value of October - 2019	1.1	Nil	pH	7.09	pH	6.35	Flow meter at inlet & outlet, COD, pH, TSS, BOD	-
	COD	2000 mg/L	COD	250 mg/L				COD	772 mg/L	COD	246 mg/L		
	BOD	700 mg/L	BOD	30 mg/L				BOD	273 mg/L	BOD	47 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	186 mg/L	SS	12 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	47 mg/L	NH ₃ -N	6 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	1.1 mg/L	Phenolic Compounds	0.031 mg/L		

M/s. Gujarat Vepari Maha Mandal Sahkari Udhyogik Vasahat Ltd, Ahmedabad

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.45	pH	6.5-8.5	pH	6.5-8.5	Average value of October - 2019	0.7	Nil	pH	6.39	pH	7.32	Flow Meter	Storage – 600 MT
	COD	2000 mg/L	COD	250 mg/L				COD	784 mg/L	COD	149 mg/L		
	BOD	700 mg/L	BOD	30 mg/L				BOD	370 mg/L	BOD	62 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	1812 mg/L	SS	86 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	66 mg/L	NH ₃ -N	47 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.07 mg/L	Phenolic Compounds	BDL		

M/s. Odhav Green Enviro Project Association, Odhav, Ahmedabad

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.00	pH	6.5-8.5	pH	6.5-8.5	Average value of October - 2019	0.8	Nil	pH	6.31	pH	7.15	-	Storage – 20 MT
	COD	750 mg/L	COD	250 mg/L				COD	544 mg/L	COD	606 mg/L		
	BOD	250 mg/L	BOD	30 mg/L				BOD	243 mg/L	BOD	205 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	68 mg/L	SS	36 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	46 mg/L	NH ₃ -N	57 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.07 mg/L	Phenolic Compounds	0.23 mg/L		

M/s. Naroda Enviro Project Ltd., Naroda, Ahmedabad

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
3.00	pH	6.5-8.5	pH	6.5-8.5	Average value of October - 2019	4.5	Nil	pH	7.34	pH	6.77	-	-
	COD	2000 mg/L	COD	250 mg/L				COD	3121 mg/L	COD	479 mg/L		
	BOD	700 mg/L	BOD	30 mg/L				BOD	815 mg/L	BOD	75 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	424 mg/L	SS	86 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	158 mg/L	NH ₃ -N	59 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	1.26 mg/L	Phenolic Compounds	0.23 mg/L		

M/s. Narol Dyestuff Enviro Society., Narol, Ahmedabad

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.040	pH	6.5-8.5	pH	6.5-8.5	Average value of October - 2019	0.020	Nil	pH	7.37	pH	7.58	-	Storage – 25 MT
	COD	1500 mg/L	COD	250 mg/L				COD	831 mg/L	COD	173 mg/L		
	BOD	500 mg/L	BOD	30 mg/L				BOD	183 mg/L	BOD	37 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	106 mg/L	SS	42 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	3 mg/L	NH ₃ -N	8 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.05 mg/L	Phenolic Compounds	0.015 mg/L		

M/s. Narol Textile Infrastructure & Enviro Management, (ATPA Swarnim Gujarat Enviro P. Ltd), Ahmedabad

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
100	pH	6.5-8.5	pH	6.5-8.5	Average value of October - 2019	100	Nil	pH	6.78	pH	7.71	-	Storage – 1000 MT
	COD	1200 mg/L	COD	250 mg/L				COD	828 mg/L	COD	239 mg/L		
	BOD	500 mg/L	BOD	30 mg/L				BOD	287 mg/L	BOD	71 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	408 mg/L	SS	92 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	48 mg/L	NH ₃ -N	52 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.8 mg/L	Phenolic Compounds	0.158 mg/L		

M/s. Tata Motors Ltd Vendors Park, Sanand, Ahmedabad

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.5	pH	6-10.5	pH	6.5-8.5	Average value of October - 2019	0.10	Nil	pH	-	pH	7.52	pH, DO meter, TOC meter, Flow meter	Storage – 5-6 MT
	COD	900 mg/L	COD	100 mg/L				COD	-	COD	19 mg/L		
	BOD	250 mg/L	BOD	30 mg/L				BOD	-	BOD	3 mg/L		
	SS	100 mg/L	SS	100 mg/L				SS	-	SS	4 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	1 mg/L		
	Phenolic Compounds	Not Applicable	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	BDL		

M/s. Zydus Infrastructure Pvt. Ltd, Changodar, Ahmedabad

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
3	pH	6- 8	pH	No outlet norms are prescribed as it is a ZLD based CETP by the means of MEE	Average value of October - 2019	1.8	Nil	pH	7.90	pH	6.81	pH, TOC meter	Storage – 20 MT
	COD	850 mg/L	COD					COD	275 mg/L	COD	6 mg/L		
	BOD (3 days at 27°C)	400 mg/L	BOD (3 days at 27°C)					BOD (3 days at 27°C)	132 mg/L	BOD (3 days at 27°C)	2 mg/L		
	SS	300 mg/L	SS					SS	50 mg/L	SS	4 mg/L		
	NH ₃ -N	<10 mg/L	NH ₃ -N					NH ₃ -N	34 mg/L	NH ₃ -N	1 mg/L		
	Phenolic Compounds	<3 mg/L	Phenolic Compounds					Phenolic Compounds	0.39 mg/L	Phenolic Compounds	BDL mg/L		

M/s. Bavla Eco Project Ltd., Bavla, Ahmedabad

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.00	pH	5.5-8.5	pH	6.5-8.5	Average value of October - 2019	0.3	Nil	pH	-	pH	7.82	-	-
	COD	4500 mg/L	COD	250 mg/L				COD	-	COD	294 mg/L		
	BOD	1500 mg/L	BOD	100 mg/L				BOD	-	BOD	58 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	-	SS	62 mg/L		
	NH ₃ -N	-	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	31 mg/L		
	Phenolic Compounds	-	Phenolic Compounds	Not Applicable				Phenolic Compounds	-	Phenolic Compounds	-		

M/s. Vinayak Jal Sudhikaran Sahakari Mandali Ltd, Bavla, Ahmedabad

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.50	pH	5.5-8.5	pH	6.5-8.5	Average value of October - 2019	4	Nil	pH	-	pH	7.90	-	-
	COD	4500 mg/L	COD	250 mg/L				COD	-	COD	102 mg/L		
	BOD	1500 mg/L	BOD	100 mg/L				BOD	-	BOD	18 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	-	SS	22 mg/L		
	NH ₃ -N	-	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	3 mg/L		
	Phenolic Compounds	-	Phenolic Compounds	Not Applicable				Phenolic Compounds	-	Phenolic Compounds	-		

M/s. Nandesari Industrial Association (CETP), GIDC-Nandesari, Vadodara

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
12	pH	5 to 9	pH	6.5 to 8.5	Average value of October - 2019	6.4	Nil	pH	-	pH	6.72	pH, COD, BOD, TSS, NH ₃ -N, Color, TOC, Temperature	Disposal – 264 MT
	COD	1500 mg/L	COD	250 mg/L				COD	-	COD	165 mg/L		
	BOD	500 mg/L	BOD	100 mg/L				BOD	-	BOD	22 mg/L		
	SS	600 mg/L	SS	100 mg/L				SS	-	SS	58 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	1 mg/L		
	Phenolic Compounds	5 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	BDL		

M/s. Enviro Infrastructure Co. Ltd., Umraya (Padra), Vadodara

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
4.50	pH	5 to 9	pH	6.5 to 8.5	Average value of October - 2019	2.2	Nil	pH	-	pH	7.87	pH, Flow Meter, TOC, TSS, Color, NH ₃ -N	-
	COD	2000 mg/L	COD	250 mg/L				COD	-	COD	233 mg/L		
	BOD	500 mg/L	BOD	100 mg/L				BOD	-	BOD	51 mg/L		
	SS	600 mg/L	SS	100 mg/L				SS	-	SS	42 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	3 mg/L		
	Phenolic Compounds	5 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	-		

M/s. Enviro Technology Ltd., GIDC-Ankleshwar, Bharuch

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
3.5	pH	6.5-8.5	pH	6.5-8.5	Average value of October - 2019	2.31	Nil	pH	7.19	pH	6.41	pH, Flow, COD, BOD, TSS, TOC	-
	COD	11000 mg/L	COD	1000 mg/L				COD	17725 mg/L	COD	838 mg/L		
	BOD (3 days at 27°C)	3600 mg/L	BOD (3 days at 27°C)	200 mg/L				BOD (3 days at 27°C)	5115 mg/L	BOD (3 days at 27°C)	29 mg/L		
	SS	-	SS	150 mg/L				SS	31950 mg/L	SS	64 mg/L		
	NH ₃ -N	100 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	61 mg/L	NH ₃ -N	34 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	5 mg/L				Phenolic Compounds	21.28 mg/L	Phenolic Compounds	0.4 mg/L		

M/s. Narmada Clean Tech Ltd., (Bharuch Eco-Aqua Infrastructure Ltd.,) (BEAIL), Ankleshwar

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
40	pH	6.5-8.5	pH	6-9	Average value of October - 2019	31.92	Nil	pH	7.75	pH	6.70	pH, Flow Meter, TOC, TSS	Storage - 2200 MT
	COD	1000 mg/L	COD	500 mg/L				COD	1725 mg/L	COD	522 mg/L		
	BOD	200 mg/L	BOD	100 mg/L				BOD	-	BOD	21 mg/L		
	SS	150 mg/L	SS	100 mg/L				SS	222 mg/L	SS	60 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	91 mg/L	NH ₃ -N	73 mg/L		
	Phenolic Compounds	5 mg/L	Phenolic Compounds	5 mg/L				Phenolic Compounds	3.11 mg/L	Phenolic Compounds	0.21 mg/L		

M/s. Panoli Enviro Technology Ltd., GIDC-Panoil, Bharuch

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1.02	pH	6.5-8.5	pH	6.5-8.5	Average value of October - 2019	0.45	Nil	pH	6.88	pH	7.34	pH, Flow Meter, TOC	Storage – 200 MT
	COD	10000 mg/L	COD	1000 mg/L				COD	3487 mg/L	COD	861 mg/L		
	BOD	3000 mg/L	BOD	200 mg/L				BOD	1014 mg/L	BOD	191 mg/L		
	SS	-	SS	150 mg/L				SS	254 mg/L	SS	50 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	48.44 mg/L	NH ₃ -N	40 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	13.11 mg/L	Phenolic Compounds	0.47 mg/L		

M/s. Globe Enviro Care Ltd. [chemical units], GIDC-Sachin, Surat

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
1	pH	6.5 to 8.5	pH	6.5 to 8.5	Average value of October - 2019	0.236	Nil	pH	7.42	pH	7.67	pH, TOC, TSS, Flow meter	Storage - 650 MT
	COD	3000 mg/L	COD	250 mg/L				COD	1855 mg/L	COD	177 mg/L		
	BOD	1200 mg/L	BOD	30 mg/L				BOD	432 mg/L	BOD	20 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	204 mg/L	SS	68 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	62 mg/L	NH ₃ -N	42 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.56 mg/L	Phenolic Compounds	0.55 mg/L		

M/s. Sachin Infra Environment Ltd., GIDC-Sachin, Surat

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
50	pH	Not Furnished	pH	6.5-8.5	Average value of October - 2019	32.83	Nil	pH	6.85	pH	7.88	pH, Flow Meter, TOC	Storage – 2600 MT
	COD	1000 mg/L	COD	250 mg/L				COD	1195 mg/L	COD	229 mg/L		
	BOD	400 mg/L	BOD	30 mg/L				BOD	259 mg/L	BOD	24 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	230 mg/L	SS	82 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	14 mg/L	NH ₃ -N	9 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	01 mg/L				Phenolic Compounds	0.66 mg/L	Phenolic Compounds	0.58 mg/L		

M/s. Palsana Enviro Protection Ltd., (PEPL), Kadodara, Surat

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
150	pH	6.5 to 8.5	pH	6.5 to 8.5	Average value of October - 2019	98	Nil	pH	7.32	pH	7.94	pH, Flow Meter, COD, BOD, TSS	Storage – 600 MT
	COD	1000 mg/L	COD	250 mg/L				COD	926 mg/L	COD	219 mg/L		
	BOD	400 mg/L	BOD	30 mg/L				BOD	211 mg/L	BOD	27 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	238 mg/L	SS	68 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	11.2 mg/L	NH ₃ -N	7.3 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	1.25 mg/L	Phenolic Compounds	0.47 mg/L		

M/s. Pandesara Infrastructure Ltd., GIDC- Pandesara, Surat

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
100	pH	6.5-8.5	pH	6.5-8.5	Average value of October - 2019	81.5	Nil	pH	7.13	pH	7.26	pH, Flow Meter, TOC, COD	Storage – 6200 MT
	COD	1000 mg/L	COD	250 mg/L				COD	956 mg/L	COD	207 mg/L		
	BOD	400 mg/L	BOD	30 mg/L				BOD	228 mg/L	BOD	22 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	256 mg/L	SS	80 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	22 mg/L	NH ₃ -N	16 mg/L		
	Phenolic Compounds	01 mg/L	Phenolic Compounds	01 mg/L				Phenolic Compounds	1.21 mg/L	Phenolic Compounds	0.51 mg/L		

M/s. CETP of Kejriwal Integrated Textile Park Ltd – KITPL

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.84	pH	6.5-8.5	pH	6.5-8.5	Average value of October - 2019	0.5	Nil	pH	-	pH	7.12	-	Storage – 7 MT
	COD	<500 mg/L	COD	<20 mg/L				COD	-	COD	91 mg/L		
	BOD	<200 mg/L	BOD	<5 mg/L				BOD	-	BOD	12 mg/L		
	SS	<150 mg/L	SS	<5 mg/L				SS	-	SS	80 mg/L		
	NH ₃ -N	-	NH ₃ -N	-				NH ₃ -N	-	NH ₃ -N	3 mg/L		
	Phenolic Compounds	-	Phenolic Compounds	-				Phenolic Compounds	-	Phenolic Compounds	0.38 mg/L		

M/s. Gujarat Eco Textile Park Pvt Ltd, Palsana, Surat

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
60	pH	6.5-8.5	pH	6.5 to 8.5	Average value of October - 2019	29	Nil	pH	7.47	pH	7.99	pH, Flow Meter, COD Meter including TOC	Storage – 500 MT
	COD	1000 mg/L	COD	250 mg/L				COD	1511 mg/L	COD	165 mg/L		
	BOD	400 mg/L	BOD	100 mg/L				BOD	330 mg/L	BOD	28 mg/L		
	SS	300 mg/L	SS	<60 mg/L				SS	210 mg/L	SS	70 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	42 mg/L	NH ₃ -N	36 mg/L		
	Phenolic Compounds	-	Phenolic Compounds	1 mg/L				Phenolic Compounds	1.34 mg/L	Phenolic Compounds	0.49 mg/L		

M/s. Fairdeal Textile Parks Pvt. Ltd, Kosamaba, Surat

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
3.75	pH	-	pH	6.5 to 8.5	Average value of October - 2019	1.39	Nil	pH	7.51	pH	7.14	pH, Flow Meter	-
	COD	500 mg/L	COD	100 mg/L				COD	290 mg/L	COD	12 mg/L		
	BOD	200 mg/L	BOD	30 mg/L				BOD	43 mg/L	BOD	2 mg/L		
	SS	-	SS	<60 mg/L				SS	130 mg/L	SS	40 mg/L		
	NH ₃ -N	-	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	-		
	Phenolic Compounds	-	Phenolic Compounds	1 mg/L				Phenolic Compounds	1.34 mg/L	Phenolic Compounds	0.41 mg/L		

M/s. New Palsana Industrial Co. Op. Society Ltd., Palsana, Surat

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
45	pH	6.5-8.5	pH	6.5-8.5	Average value of October - 2019	25	Nil	pH	7.66	pH	7.57	pH, Flow meter, COD, BOD, TSS	Storage – 2400 MT Disposal – 2965 MT
	COD	1000 mg/L	COD	250 mg/L				COD	998 mg/L	COD	212 mg/L		
	BOD	400 mg/L	BOD	30 mg/L				BOD	207 mg/L	BOD	25 mg/L		
	SS	300 mg/L	SS	<60 mg/L				SS	232 mg/L	SS	70 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	14 mg/L	NH ₃ -N	11 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	1.26 mg/L	Phenolic Compounds	0.49 mg/L		

M/s. Vapi Waste & Effluent Management Co. Ltd, Vapi

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
55	pH	6.5-8.5	0.	6.5-8.5	Average value of October - 2019	54	Nil	pH	7.89	pH	7.54	pH, Flow Meter, TOC & DO Meter	Storage – 22300 MT
	COD	1000 mg/L	COD	250 mg/L				COD	1062 mg/L	COD	244 mg/L		
	BOD	400 mg/L	BOD	30 mg/L				BOD	257 mg/L	BOD	26 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	100 mg/L	SS	66 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	51 mg/L	NH ₃ -N	45 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	9.11 mg/L	Phenolic Compounds	0.82 mg/L		

M/s. Sarigam Clean Initiative (Old Name-Gujarat Industrial Development Corporation), Sarigam

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
12.5	pH	6.5-8.5	pH	6.5-8.5	Average value of October - 2019	9	Nil	pH	8.09	pH	8.11	Flow Meter, TOC meter	Storage - 350 MT
	COD	1000 mg/L	COD	250 mg/L				COD	412 mg/L	COD	177 mg/L		
	BOD (3 days at 27°C)	400 mg/L	BOD (3 days at 27°C)	100 mg/L				BOD (3 days at 27°C)	93 mg/L	BOD (3 days at 27°C)	24 mg/L		
	SS	300 mg/L	SS	100 mg/L				SS	92 mg/L	SS	58 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	19 mg/L	NH ₃ -N	29 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.15 mg/L	Phenolic Compounds	0.17 mg/L		

M/s. Veraval Industries Association, Veraval, Junagadh

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
5	pH	5.5 to 9	pH	6 to 9	Average value of October - 2019	5	Nil	pH	7.34	pH	7.57	-	-
	COD	3500 mg/L	COD	250 mg/L				COD	245 mg/L	COD	147 mg/L		
	BOD	1000 mg/L	BOD	100 mg/L				BOD	98 mg/L	BOD	45 mg/L		
	SS	200 mg/L	SS	100 mg/L				SS	122 mg/L	SS	80 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	378 mg/L	NH ₃ -N	66 mg/L		
	Phenol	-	Phenol	-				Phenolic Compounds	-	Phenolic Compounds	-		

M/s. Bhatgam Washing Ghat Suddhikaran Yojana Pvt. Ltd., Bhatgam, Rajkot

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
30	pH	10.5-12	pH	6.5-9	No visit in the month of Oct - 2019	10	Nil	pH	-	pH	-	pH, Flow meter, SS, Color, MLSS, COD	-
	COD	1000 mg/L	COD	100 mg/L				COD	-	COD	-		
	BOD	350 mg/L	BOD	30 mg/L				BOD	-	BOD	-		
	SS	2000 mg/L	SS	100 mg/L				SS	-	SS	-		
	NH ₃ -N	75 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	-		
	Phenolic Compounds	5 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	-		

M/s. Jetpur Dyeing & Printing Association, Jetpur, Rajkot

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
10.00	pH	10.5-12.0	pH	6.5-9	Average value of October - 2019	7.00	Nil	pH	-	pH	8.16	pH, Flow meter	-
	COD	1000 mg/L	COD	250 mg/L				COD	-	COD	93 mg/L		
	BOD	350 mg/L	BOD	100 mg/L				BOD	-	BOD	22 mg/L		
	SS	2000 mg/L	SS	100 mg/L				SS	-	SS	86 mg/L		
	NH ₃ -N	75 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	25 mg/L		
	Phenolic Compounds	5 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	-		

M/s. Shri Dhareshwar GIDC Vistar Association, Dhareshwar, Rajkot

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.09	pH	10.5-12	pH	6.5 to 9	Average value of October - 2019	0.09	Nil	pH	6.74	pH	7.34	pH, Flow Meter	Storage - 10 MT
	COD	1000 mg/L	COD	100 mg/L				COD	993 mg/L	COD	49 mg/L		
	BOD	350 mg/L	BOD	30 mg/L				BOD	300 mg/L	BOD	17 mg/L		
	SS	2000 mg/L	SS	100 mg/L				SS	240 mg/L	SS	6 mg/L		
	NH ₃ -N	75 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	7 mg/L	NH ₃ -N	19 mg/L		
	Phenolic Compounds	5 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	-		

M/s. Jay Khodiyar Enviro-Technologies Pvt. Ltd., Rajkot

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.025	pH	Up to 5	pH	6.5 to 8.5	Average value of October - 2019	0.013	Nil	pH	1.74	pH	8.12	-	-
	COD	250 mg/L	COD	100 mg/L				COD	16 mg/L	COD	8 mg/L		
	BOD	100 mg/L	BOD	30 mg/L				BOD	3 mg/L	BOD	2 mg/L		
	SS	250 mg/L	SS	100 mg/L				SS	210 mg/L	SS	24 mg/L		
	NH ₃ -N	-	NH ₃ -N	50 mg/L				NH ₃ -N	9 mg/L	NH ₃ -N	1 mg/L		
	Phenolic Compounds	-	Phenolic Compounds	1 mg/L				Phenolic Compounds	BDL	Phenolic Compounds	BDL		

M/s. Kalol GIDC Industries Association, Kadi, Gandhinagar

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
0.35	pH	6.5 to 8.5	pH	6.5 to 8.5	Average value of October - 2019	0.35	Nil	pH	-	pH	7.63	-	Storage - 65 MT
	COD	2000 mg/L	COD	250 mg/L				COD	-	COD	148 mg/L		
	BOD	700 mg/L	BOD	100 mg/L				BOD	-	BOD	21 mg/L		
	SS	-	SS	100 mg/L				SS	-	SS	46 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	-	NH ₃ -N	5 mg/L		
	Phenolic Compounds	-	Phenolic Compounds	1 mg/L				Phenolic Compounds	-	Phenolic Compounds	BDL		

M/s. MPSEZ Utilities (P) Limited, Mundra, Kutch

Capacity in (MLD)	Inlet Norms		Final Effluent Quality Stds. Or ZLD Conditions		Date of Monitoring	Waste Water treated in CETP (MLD)	Waste Water bypassed untreated in the area, if any (MLD)	Observed Inlet Quality		Observed Final Effluent Quality		Status of Online CEQMS	Status of Hazardous Waste Storage / Disposal
2.5	pH	6.5-8.5	pH	6.5-8.5	Average value of October - 2019	0.15	Nil	pH	6.93	pH	6.95	pH, COD, BOD, TSS, Ammonical Nitrogen	-
	COD	2000 mg/L	COD	250 mg/L				COD	398 mg/L	COD	78 mg/L		
	BOD (3 days at 27° C)	1000 mg/L	BOD(3 days at 27° C)	100 mg/L				BOD(3 days at 27° C)	142 mg/L	BOD(3 days at 27° C)	21 mg/L		
	SS	800 mg/L	SS	100 mg/L				SS	22 mg/L	SS	26 mg/L		
	NH ₃ -N	50 mg/L	NH ₃ -N	50 mg/L				NH ₃ -N	118 mg/L	NH ₃ -N	72 mg/L		
	Phenolic Compounds	1 mg/L	Phenolic Compounds	1 mg/L				Phenolic Compounds	0.3 mg/L	Phenolic Compounds	0 mg/L		